

AUTHOR INDEX

1986, Volume 20

A

- ALDOORI M, CAMPBELL W B, and DIEPPE P A Nifedipine in the treatment of Raynaud's syndrome, 466
 ALEXOPOULOS D see MANLEY B S *et al*
 ALLEN D G see PIROLO J S and ALLEN D G
 ALLWORK S P and BENTALL H H Usefulness of the phenomenon of histofluorescence in the identification of early myocardial necrosis, 451
 ANDERSEN D see GOLF S *et al*
 ANDERSEN F R see ILEBEKK A *et al*
 ANDERSEN K S see STANGELAND L *et al*
 APPELBYARD R F and SAUVAGE L R Haemodynamic consequences of arterial replacement with a synthetic graft, 26
 ARNOLD J M O see PRZYKLEK K *et al*
 ASMAR R G see SAFAR *et al*
 AUBERT A E see MINTEN J *et al*
 AUCLAND L M, LAMBERT S J, and CUMMINS P Cardiac myosin light and heavy chain isotypes in tetralogy of Fallot, 828
 AVOLIO A see YAGINUMA T *et al*
 AVOLIO A P see O'ROURKE M F *et al*

B

- BARON D see YAGINUMA T *et al*
 BASELLI G see PAGANI M *et al*
 BEER E L De see DE BEER E L
 BELARDINELLI L see WESLEY R C *et al*
 BELHASSEN B see SHARGORODSKY B M *et al*
 BELLE H VAN see VAN BELLE H
 BENNETT T see GARDINER S M and BENNETT T
 BENTALL H H see ALLWORK S P and BENTALL H H
 BERTRIX L, TIMOUR-CHAH Q, LANG J, LAKHAL M, and FAUCON G Protection against ventricular and atrial fibrillation by sotalol, 358
 BEYAR R see KIMMEL *et al*
 BHALLA R C see SHARMA R V and BHALLA R C
 SHARMA R V *et al*
 BING O H L see NAKAMURA Y *et al*
 BLAKE K, SMITH N A, and CLUSIN W T Rate dependence of ischaemic myocardial depolarisation: evidence for a novel membrane current, 557
 BLAND J, SKORDALAKI A, and EMERY J L Early intimal lesions in the common carotid artery, 863
 BLOYS VAN TRESLONG C H F see VAN DER LAARSE A *et al*
 BLUMLEIN S see RABINOWITZ B *et al*
 BOGAARD J M, JANSEN J R C, VON RETH E A, VERSPRILLE A, and WISE M E Random walk type models for indicator-dilution studies: comparison of a local density random walk and a first passage times distribution, 789
 BÖHM M, MENDE U, SCHMITZ W, and SCHOLZ H Does an impaired adenosine mediated feedback control play a role in the development of hereditary dystrophic cardiomyopathy? 568
 BONES P J see MONRO D M *et al*
 BOOTH A M see EMERY R W *et al*
 BOUMAN L N see OPTHOF T *et al*
 BOUTIDIR M see LE HEUZEY J-Y *et al*
 BOWDITCH J see NIDIKAR S V *et al*
 BOWKER, T J, EDWARDS P, HALL T A, REGEL M, BOWN S G, FOX K M, POOLE-WILSON P A, and RICKARDS A F Optical transmission of normal and atheromatous arterial wall: a spectral analysis, 393
 BOWN S G see BOWKER T J *et al*
 BOYKIN M T see WESLEY R C *et al*
 BOZÖKY B see ÉDES I *et al*
 BRANSON J see YAGINUMA T *et al*
 BRAUN S see SHARGORODSKY B M *et al*
 BRAUNLIN E A, WAHLER G M, SWAYZE C R, LUCAS R V, and FOX J J Myoglobin facilitated oxygen diffusion maintains mechanical function of mammalian cardiac muscle, 627

- BRISTOW J D see WEAVER M E *et al*
 BROOKS H L see SHIMSHAK T M *et al*
 BROWN L, LORENZ B, and ERDMANN E Reduced positive inotropic effects in diseased human ventricular myocardium, 516
 BROWN L, WAGNER G, HUG E, and ERDMANN E Ouabain binding and inotropy in acute potassium depletion in guinea pigs, 286
 BUCK J J J see RICCIARDI L *et al*
 BUTCHER R see KAMM R *et al*

C

- CAMBRIDGE D and WHITTING M V Evaluation of the QA interval as an index of cardiac contractility in anaesthetised dogs: responses to changes in cardiac loading and heart rate, 444
 CAMM A J see MALIK M and CAMM A J
 CAMPBELL W B see ALDOORI M, *et al*
 CAPASSO J M see TEPPER D *et al*
 CARDINAL R see CARSON D L *et al*
 CARSON D L, CARDINAL R, SAVARD P, and VERMEULEN M Characterisation of unipolar waveform alternation in acutely ischaemic porcine myocardium, 521
 CERUTTI S see PAGANI M *et al*
 CHAH Q TIMOUR see TIMOUR-CHAH Q
 CHIDECHEL E W, DEDHIA H H, FEDAN J S, TEBA L, and JAIN A Spermine decreases peripheral vascular resistance in the dog and relaxes the isolated aorta of the guinea pig, 931
 CINCA J see FIGUERAS J *et al*
 CLAUSEN T see NØRGAARD A *et al*
 CLUSIN W T see BLAKE K *et al*
 COBBE S M see MANLEY B S *et al*
 COFFELT J WIKMAN- see WIKMAN-COFFELT J
 COHEN M V Coronary vascular reserve in the greyhound with left ventricular hypertrophy, 182
 COLE A W G see KINGABY R O *et al*
 COUDRAI P R see ROSSNER K L and COUDRAI P R
 COUMANS W A see SNOECKX L H E H *et al*
 CSANÁDY M see ÉDES I *et al*
 CUMMINS P see AUCLAND L M *et al*

D

- DAGGETT W M see GIFFIN G A *et al*
 D'AMOURS C see NADEAU A *et al*
 DANG H S see VALIATHAN M S *et al*
 DE BEER E L see SCHIERECK P *et al*
 DE GEEST H see MINTEN J *et al*
 DE JONG J P, WESTERHOFF N, and ELZINGA G How to qualify an arterial stenosis: a study on the femoral arteries of dog and man, 134
 DECK J D Endothelial cell orientation on aortic valve leaflets, 760
 DEDHIA H H see CHIDECHEL E W *et al*
 DEL NIDO P J see MICKLE D A G *et al*
 DEL VALLE G see FAHIM M *et al*
 DELL'ORTO S see PAGANI M *et al*
 DENNIS P D and VAUGHAN WILLIAMS E M Further studies of alindine induced bradycardia in the presence of caesium, 375
 — see also VAUGHAN WILLIAMS E M *et al*
 DER LAARSE A VAN see VAN DER LAARSE A
 DER NAGEL T VAN see VAN DER NAGEL T
 DER VUSSE G J VAN see VAN DER VUSSE G J
 DER WERF F VAN see VAN DER WERF F
 DEUTSCH J see SHIMONI Y *et al*
 DIEPPE P A see ALDOORI M *et al*
 DINNAR U see KIMMEL E *et al*
 DOW J W see NIDIKAR S V *et al*
 DOWNEY H F see McANDREW J D and DOWNEY H F

DOYLE R *see* WAY B *et al*
 DROP L J *see* GEFFIN G A *et al*
 DUIVENVOORDEN J J *see* OPHOF T *et al*

E

ÉDES I, PIROS G, TÓTH G K, CSANÁDY M, and KOVÁCS K Effects of long term alcohol ingestion on glutathione metabolising enzymes and taurine contents in the myocardium of rats, 918
 ÉDES I, TÓZSEGI A, CSANÁDY M, and BOZÓKY B Myocardial lipid peroxidation in rats after chronic alcohol ingestion and the effects of different antioxidants, 542
 EDWARDS G *see* FISHBEIN M C *et al*
 EDWARDS D H, GRIFFITH T M, RYLEY H C, and HENDERSON A H Haptoglobin-haemoglobin complex in human plasma inhibits endothelium dependent relaxation: evidence that endothelium derived relaxing factor acts as a local autocrine, 549
 — *see also* GRIFFITHS T M *et al*
 EDWARDS P *see* BOWKER T J *et al*
 ELAZAR E *see* RABINOWITZ B *et al*
 ELIADES D and WEISS H R Effects of hypercapnia on coronary circulation, 127
 ELIOT R S *see* TODD G L *et al*
 ELZINGA G *see* DE JONG J P *et al*
 EMERY J L *see* BLAND J *et al*
 EMERY R W, ESTRIN J A, WAHLER G M, BOOTH A M, SWAYZE C R, and FOX I J Reflex hypotension due to regional activation of left ventricular mechanoreceptors to explain the hypotension noted in clinical myocardial ischaemia or reperfusion, 161
 EPSTEIN M *see* SHIMONI Y *et al*
 ERDMANN E *see* BROWN L *et al*
 ESTRIN J A *see* EMERY R W *et al*

F

FAHIM M, DEL VALLE G, and PRESSMAN B C Comparison of the effects of the ionophore salinomycin and adrenaline on the haemodynamics and work efficiency of the dog heart, 145
 FANTINI F *see* MICHELUCCI A *et al*
 FAUCON G *see* BERTRUX L *et al*
 FEDAN J S *see* CHIDECKEL E W *et al*
 FENELEY M *see* YAGINUMA T *et al*
 FIGUERAS J, CINCA J, SENADOR G, and RIUS J Progressive mechanical impairment associated with progressive but reversible electrocardiographic ischaemic changes during repeated brief coronary artery occlusions in pigs, 797
 FISHBEIN M C, KULBER D, STANCL M, and EDWARDS G Distribution of fibrinogen and albumin in normal, ischaemic, and necrotic myocardium during the evolution of myocardial infarction: an immunohistochemical study, 36
 FISHER J *see* SIMPSON I A *et al*
 FLAMING W, VANHAECCKE J, and VANDEPLASSCHE G Studies on experimental myocardial infarction: dogs or baboons? 241
 — *see also* VAN BELLE H *et al*
 FLEETWOOD G and POOLE-WILSON P A Diastolic coronary resistance in the isolated rabbit heart and after ischaemia: contribution of extravascular forces, 883
 FLETCHER P J *see* JEREMY R W *et al*
 FOËX P *see* WAY B *et al*
 FORNARI M *see* PUDDU P E *et al*
 FOUAD-TARAZI F M *see* SHIMAMATSU K and FOUAD-TARAZI F M
 FOX I J *see* BRAUNLIN E A *et al*
 — *see also* EMERY R W *et al*
 FOX K M *see* BOWKER T J *et al*
 FROELICH J *see* KAMM R *et al*
 FURLAN R *see* PAGANI M *et al*

G

GARDINAR S M and BENNETT T Baroreflex sensitivity in conscious rats: the influence of recording site, 379
 GARNHAM C *see* VAUGHAN WILLIAMS E M *et al*
 GEEST H De *see* DE GEEST H
 GEFFIN G A, DROP L J, NEWELL J B, JOHNSON R G, O'KEEFE D D, TEPLICK R S, TITUS J S, and DAGGETT W M Effect of preload on ischaemic and non-ischaemic left ventricular regional function, 415
 GEWIRTZ H, OLSSON R A, and MOST A S Role of adenosine in mediating myocardial blood flow response to isoproterenol: observations in closed chest, sedated, domestic swine, 504
 GOLDHILL D R Bilateral simultaneous indirect systolic blood pressure measurements, 774
 GOLDMAN S *see* KATZENBERG C *et al*
 GOLDSPIK D F, LEWIS S E M, and MERRY B J Effects of aging and long term dietary intervention on protein turnover and growth of ventricular muscle in the rat heart, 672
 GOLF S, ANDERSEN D, and HANSSON V Beta adrenoceptor density and adenylate cyclase response in right atrial and left ventricular myocardium of patients with mitral valve disease, 331
 — and HANSSON V Effects of beta blocking agents on the density of beta adrenoceptors and adenylate cyclase response in human myocardium: intrinsic sympathomimetic activity favours receptor upregulation, 637
 GOODYEAR C D *see* JENNINGS T J *et al*
 GOTSMAN M *see* SHIMONI Y *et al*
 GRÄSER T, LEISNER H, and TIEDT N. Absence of role of endothelium in the response of isolated porcine coronary arteries to acetylcholine, 299
 GRIFFITH T M, EDWARDS D H, NEWBY A C, LEWIS M J, and HENDERSON A H Production of endothelium derived relaxant factor is dependent on oxidative phosphorylation and extracellular calcium, 7
 — *see also* EDWARDS D H *et al*
 GRONG K, JODALEN H, STANGELAND L, VIK-MO H, and LEKVEN J Cellular lipid accumulation in different regions of myocardial infarcts in cats during beta adrenergic blockade with timolol, 248
 — *see also* STANGELAND L *et al*
 GROSS G J *see* PELC L R *et al*
 — *see also* SHIMSHAK T M *et al*
 GRØTTUM P, MOHR B, and KJEKSHUS J K Evolution of vectocardiographic QRS changes during myocardial infarction in dogs and their relation to infarct size, 108
 GROVER G J and WEISS H R Effect of aortic constriction on the oxygen supply-consumption balance in partially ischaemic myocardium, 498
 GUILLÉN J-C *see* PUDDU P E *et al*
 GUIZE L *see* LE HEUZEY J-Y *et al*

H

HALL T A *see* BOWKER T J *et al*
 HANDA S *see* TANI M *et al*
 HANSEN O *see* NØRGAARD A *et al*
 HANSSON V *see* GOLF S and HANSSON V
 — *see also* GOLF S *et al*
 HAR-ZAHAV Y *see* RABINOWITZ B *et al*
 HARDING R D *see* MICKLE D A G *et al*
 HARTOG J M and VERDOUW P D Alleviation of myocardial ischaemia after administration of the cardioselective beta adrenoceptor antagonist bevantolol, 264
 HAYWARD R P and TAGQART P Effect of sotalol on human atrial action potential duration and refractoriness: cycle length dependency of class III activity, 100
 HEIKILÄ J *see* KETTUNEN R *et al*
 HELDT G P *see* TARGETT R C *et al*

HENDERSON A H *see* EDWARDS D H *et al*
GRIFFITH T M *et al*

HEUZEY J-Y *see* LE HEUZEY J-Y

HIDAKA H *see* SHIKANO K *et al*

HIRVONEN L *see* KETTUNEN R *et al*

HOHLNOSER S H, VERRIER R L, and LOWN B Effects of adrenergic and muscarinic receptor stimulation on serum potassium concentrations and myocardial electrical stability, 891

HOLIDA M D *see* WHITE C W *et al*

HONBO N *see* KARLINER J S *et al*

HOSOMI H, KATSUDA S, and WATANABE Y Effect of atherosclerosis on the responsiveness of the rapidly acting arterial pressure control system in WHHL rabbits, 195

HOUSTON A B *see* SIMPSON I A *et al*

HOWELL L L *see* JENNINGS T J *et al*

HUG E *see* BROWN L *et al*

HUGHES C F *see* JEREMY R W *et al*

HUGHES C J *see* SAFAR M E *et al*

HUTTON I *see* SIMPSON I A *et al*

I

IICHI H *see* IYODA I *et al*

ILEBEK A, ANDERSEN F R, and SEJERSTED O M Magnitude of myocardial potassium changes during acute alterations in pacing frequency in the in situ pig heart, 176

IMURA T, YAMAMOTO K, KANAMORI K, MIKAMI T, and YASUDA H Non-invasive ultrasonic measurement of the elastic properties of the human abdominal aorta, 208

INOUE A *see* IYODA I *et al*

INOUE H, MATSUO H, MASHIMA S, SUGIMOTO T, and MURAO S Ventricular fibrillation threshold in canine hearts with quinidine induced prolonged QT interval: effects of atrial pacing, isoproterenol, and lignocaine, 349

IRELAND M A *see* LITTLE W A and IRELAND M A

ISHIKAWA K, KANAMARU S, YOTSUKURA M, TSUYA T, SHIRATO C, and YANAGISAWA A Influence of peripheral intravenous contrast injection on the QRS complex in healthy men, 61

ITOH H *see* SHIKANO K *et al*

IYODA I, TAKAHASHI H, LEE L-C, KAMBARA S, OKAJIMA H, SASAKI S, TAKEDA K, YOSHIMURA M, and IICHI H Centrally induced cardiovascular and sympathetic responses to adrenocorticotrophic hormone, 778: Cardiovascular and sympathetic response to ouabain injected into the hypothalamus in rats, 294

J

JAIN A *see* CHIDECKEL E W *et al*

JANSEN J R C *see* BOGAARD J M *et al*

JASMIN G *see* WIKMAN-COFFELT I *et al*

JENNINGS T J, SEAWORTH J F, HOWELL L L, TRIPP L D, and GOODYEAR C D Effect of dihydroergotamine on +Gz acceleration tolerance, 389

JEREMY R W, HUGHES C F, and FLETCHER P J Effects of left ventricular diastolic pressure on the pressure flow relation of the coronary circulation during physiological vasodilatation, 922

JORIDON C *see* NADEAU A *et al*

JODALEN H *see* GRONG K *et al*

JOEKL C S *see* TODD G L *et al*

JOHNSON M *see* KAMM R *et al*

JOHNSON R G *see* GEFFIN G A *et al*

JONES L A *see* WAY B *et al*

JONES R W *see* MONRO D M *et al*

JONG J P De *see* De JONG J P

JONGSMAN H J *see* OPTHOF T *et al*

JOUE R *see* PUDDU P E *et al*

JULICHER R H M *see* VAN DER LAARSE A *et al*

JYNGE P *see* ØKSENDAL A N and JYNGE P

K

KACHALSKY S *see* SHIMONI Y *et al*

KAMBARA S *see* IYODA I *et al*

KAMM R, BUTCHER R, FROELICH J, JOHNSON M, SALZMAN E, SHAPIRO A, and STRAUSS H W Optimisation of indices of external pneumatic compression for prophylaxis against deep vein thrombosis: radionuclide gated imaging studies, 588

KANAMARU S *see* ISHIKAWA K *et al*

KANAMORI K *see* IMURA T *et al*

KARLINER J S, SIMPSON P C, HONBO N, and WOLOSZYNS W Mechanisms and time course of beta₁ adrenoceptor desensitisation in mammalian cardiac myocytes, 221

KARTHA C C *see* VALIATHAN M S *et al*

KATSUDA S *see* HOSOMI H *et al*

KATZENBERG C, OLAJOS M, MORKINE, and GOLDMAN S Effects of changes in airway pressure on the left ventricle and left atrium of dogs, 853

KAWAI C *see* KISHIMOTO C *et al*

TOMIOKA N *et al*

KETTUNEN R, TIMISIÄRVI J, RÄMÖ P, KOUVALAINEN E, HEIKKILÄ J, and HIRVONEN L Time constant of isovolumic pressure fall in the intact canine left ventricle, 698

KEURS H E D J *see* TER KEURS H E D J

KIL P J M *see* SCHIERECK P *et al*

KIM Y D *see* NEMATZADEH D *et al*

KIMMEL E, BEYAR R, DINNAR U, SIDEMAN S, and KISHON Y Augmentation of cardiac output and carotid blood flow by chest and abdomen phased compression cardiopulmonary resuscitation, 574

KINGABY R O, LAB M J, COLE A W G, and PALMER T N Relation between monophasic action potential duration, ST segment elevation, and regional myocardial blood flow after coronary occlusion in the pig, 740

KISHIMOTO C, KURIBAYASHI K, MASUDA T, TOMIOKA N, and KAWAI C Animal model of silent myocarditis in athymic mice, 768

— *see also* TOMIOKA N *et al*

KISHON Y *see* KIMMEL E *et al*

KJELSHUS J K *see* GRØTTUM P *et al*

KJELDSEN K *see* NØRGAARD A *et al*

KLONER R A *see* PRZYKLENK K *et al*

KOBAYASHI A *see* YAMASHITA T *et al*

KOT P A *see* NEMATZADEH D *et al*

KOUVALAINEN E *see* KETTUNEN R *et al*

KOUZ S *see* LE HEUZEY J-Y *et al*

KOVÁCS K *see* ÉDES I *et al*

KREHER P and VERDETTI J Role of ATP in the maintenance of action potential configuration of the isolated working rat heart, 89

KULBER D *see* FISHBEIN M C *et al*

KURIBAYASHI K *see* KISHIMOTO C *et al*

KUSAGAWA M *see* SHIKANO K *et al*

L

LAARSE A VAN DER *see* VAN DER LAARSE A

LAB M J *see* KINGABY R O *et al*

LADLEY H D *see* WEAVER M E *et al*

LAKHAL M *see* BERTRIX L *et al*

LAMBERT S J *see* AUCKLAND L M *et al*

LANG J *see* BERTRIX L *et al*

LANGLET F *see* PUDDU P E *et al*

LANIADO S *see* SHARGORODSKY B M *et al*

LANZI G *see* PAGANI M *et al*

LARSEN C G *see* NØRGAARD A *et al*

LARSEN F G *see* NØRGAARD A *et al*

LAURENT S A *see* SAFAR M E *et al*

LAVERGNE T *see* LE HEUZEY J-Y *et al*

- LE HEUZEY J-Y, GUIZE L, VALTY J, MOUTET J-P, KOUZ S, LAVERGNE T, BOUTIDIER M, and PERONNEAU P Intracellular and extracellular recordings of sinus node activity: comparison with estimated sinoatrial conduction times during pacemaker shifts in rabbit heart, 81
- LEE L-C *see* IYODA I *et al*
- LEISNER H *see* GRÄSER T *et al*
- LEKVEN J *see* GRONG K *et al*
- STRANGLAND L *et al*
- LESSARD Y and PAULET G A proposed mechanism for cardiac sensitisation: electrophysiological study of effects of difluorodichloromethane and adrenaline on different types of cardiac preparations isolated from sheep hearts, 807
- LEW W Y *see* WAY B *et al*
- LEWINTER M M *see* WAY B *et al*
- LEWIS M J *see* GRIFFITH T M *et al*
- LEWIS S E M *see* GOLDSPIK D F *et al*
- LICHSTEIN D *see* SHIMONI Y *et al*
- LITTLER W A and IRELAND M A Arterial response to venous occlusion in normotensive and hypertensive subjects, 124
- *see also* SMITH S A *et al*
- LOMBARDI F *see* PAGANI M *et al*
- LONDON G M *see* SAFAR M E *et al*
- LORENZ B *see* BROWN L *et al*
- LOWEN B *see* HOHNLOSER S H *et al*
- LUCAS R V *see* BRAUNLIN E A *et al*
- LUK D E *see* STASZEWSKA-WOOLLEY J *et al*

M

- MCANDREW J D and DOWNEY H F Blood flow to acutely ischaemic myocardium during pericardial tamponade: dominant influence of aortic blood pressure, 822
- MCLEODON J P *see* SHARMA R V *et al*
- MCILROY M, SEITZ W, and TARGETT R C A transmission line model of the normal aorta and its branches, 581
- MCILROY M B *see* TARGETT R C *et al*
- MACNAMARA T E *see* NEMATZADEH D *et al*
- MALIK M and CAMM A J Possible pathophysiology of torsade de pointes evaluated by a realistic heart computer model, 436
- MALLIANI A *see* PAGANI M *et al*
- MALLOY C R, MATTHEWS P M, SMITH M B, and RADDA G K Influence of propranolol on acidosis and high energy phosphates in ischaemic myocardium of the rabbit, 710
- MANLEY B S, ALEXOPOULOS D, ROBINSON G J, and COBBE S M Subsidiary class III effects of beta blockers? A comparison of atenolol, metoprolol, nadolol, oxprenolol and sotalol, 705
- MARCUS M L *see* WHITE C W *et al*
- MASHIMA S *see* INOUE H *et al*
- MASUDA T *see* KISHIMOTO C *et al*
- MATSUMORI A *see* TOMIOKA N *et al*
- MATSUO H *see* INOUE H *et al*
- MATTHEWS P M, TAYLOR D J, and RADDA G K Biochemical mechanisms of acute contractile failure in the hypoxic rat heart, 13
- *see also* MALLOY C R *et al*
- MENDE U *see* BÖHM M *et al*
- MERRY B J *see* GOLDSPIK D F *et al*
- MICHELUCCI A, PADELETTI L, MONIZZI D, and FANTINI F Influence of current strength on excitability and conduction of human atrium: and atrioventricular node, 76
- MICKLE D A G, DEL NIDO P J, WILSON G J, HARDING R D, and ROMASCHIN A D Exogenous substrate preference of the post-ischaemic myocardium, 256
- MIGNERON S ROUSSEAU-*see* ROUSSEAU-MIGNERON S
- MIKAMI T *see* IMURA T *et al*
- MINTEN J, VAN DER WERF F, AUBERT A E, and DE GEEST H Axial pressure gradient in the canine superior vena cava, 935

- MITCHELL M R, POWELL T, STURRIDGE M F, TERRAR D A, and TWIST V W Electrical properties and response to noradrenaline of individual heart cells isolated from human ventricular tissue, 869
- MIURA K *see* YAMASHITA T *et al*
- MJØS O D *see* YTREHUS K *et al*
- MO H VIK-*see* VIK-MO H
- MOHR B *see* GRØTTUM P *et al*
- MONIZZI D *see* MICHELUCCI A *et al*
- MONRO D M, BONES P J, STANBRIDGE R D L, and JONES R W Comparison of epicardial and body surface ECG potentials in man, 201
- MORGAN J J *see* YAGINUMA T *et al*
- MORKIN E *see* KATZENBERG C *et al*
- MOST A S *see* GEWIRTZ H *et al*
- MOUTET J-P *see* LEHEUZEY J-Y *et al*
- MURAO S *see* INOUE H *et al*
- MYKLEBUST R *see* YTREHUS K *et al*

N

- NADEAU A, TANCÈRE G, JOBION C, D'AMOURS C, and ROUSSEAU-MIGNERON Increased mortality rate in diabetic rats submitted to acute experimental myocardial infarction, 171
- NAGEL T VAN DER *see* VAN DER NAGEL T
- NAKAMURA Y, WIEGNER A W, and BING O H L Measurement of relaxation in isolated rat ventricular myocardium during hypoxia and reoxygenation, 690
- *see also* TANI M *et al*
- NEMATZADEH D, KIM Y D, ROSE J C, WOLF P H, MACNAMARA T E, KOT P A Effects of halothane on the intramyocardial pressure of the canine left ventricle, 275
- NERINSKY R *see* RABINOWITZ B *et al*
- NEUFELD H N *see* RABINOWITZ B *et al*
- NEWBY A C *see* GRIFFITH T M *et al*
- NEWELL J B *see* GIFFIN G A *et al*
- NICHOLS W *see* YAGINUMA T *et al*
- NICHOLS W W *see* O'ROURKE M F *et al*
- NIDO P J DEL *see* DEL NIDO P J
- NIGDIKAR S V, BOWDITCH J, and DOW J W Calcium antagonists and adenine nucleotide metabolism in rat heart, 604
- NOLAN P N *see* STASZEWSKA-WOOLLEY J *et al*
- NOMA S *see* TANI M *et al*
- NOONAN J *see* PAULSON D J *et al*
- NØRGAARD A, KJELDSEN K, HANSEN O, CLAUSEN T, LARSEN C G, and LARSEN F G Quantification of the ³H-quabain binding site concentration in human myocardium: a post-mortem study, 428

O

- OHNISHI S *see* TANI M *et al*
- OKAJIMA H *see* IYODA I *et al*
- O'KEEFE D D *see* GIFFIN G A *et al*
- ØKSENDAL A N and JYNGE P Protection by verapamil in the calcium paradox: dependence on micromolar calcium, 845
- OLAJOS M *see* KATZENBERG C *et al*
- OLSSON R A *see* GEWIRTZ H *et al*
- OPTHOF T, DUIVENVOORDEN J J, VANONNEKEN A C G, JONGSMA H J, and BOURMAN L N Electrophysiological effects of alinidine (ST567) on sinoatrial node fibres in the rabbit heart, 727
- ORDWAY G A *see* WALDROP T G and ORDWAY G A
- O'ROURKE M *see* YAGINUMA T *et al*
- O'ROURKE M F, AVOLIO A P, and NICHOLS W W The kangaroo as a model for the study of hypertrophic cardiomyopathy in man, 398

P

- PADELETTI L *see* MICHELUCCI A *et al*
 PAGANI M, FURLAN R, DELL'ORTO S, PIZZINELLI P, LANZI G, BASELLI G, SANTOLI C, CERUTTI S, LOMBARDI F, and MALLIANI A Continuous recording of direct high fidelity arterial pressure and electrocardiogram in ambulant patients, 384
 PALMER T N *see* KINGABY R O *et al*
 Panday V K *see* VALIATHAN M S *et al*
 PANTELY G A *see* WEAVER M E *et al*
 PARMLEY W W *see* RABINOWITZ B *et al*
 WIKMAN-COFFELT J *et al*
 PAULET G *see* LESSARD Y and PAULET G
 PAULSON D J, TRAXLER J, SCHMIDT M, NOONAN J, and SHUG A L Protection of the ischaemic myocardium by L-propionylcarnitine: effects on the recovery of cardiac output after ischaemia and reperfusion, carnitine transport, and fatty acid oxidation, 536
 PELC L R, FROSS G J, and WARLTIER D C Changes in regional myocardial perfusion by muscarinic receptor subtypes in dogs, 482
 PERONNEAU P *see* LE HUEZUY J-Y *et al*
 PIROLO J S and ALLEN D G Assessment of techniques for preventing glycolysis in cardiac muscle, 837
 PIROS G *see* EDES I *et al*
 PIZZINELLI P *see* PAGANI M *et al*
 PLAMBECK R D *see* TODD G L *et al*
 POOLE-WILSON P A *see* BOWKER T J *et al*
 — *see also* FLEETWOOD G and POOLE-WILSON P A
 POWELL T *see* MITCHELL M R *et al*
 PREUSS K C *see* SHIMSHAK T M *et al*
 PRESSMAN B C *see* FAHIM M *et al*
 PRZYKLEK K, VIVALDI M T, SCHOEN F J, ARNOLD J M O, and KLONER R A Salvage of ischaemic myocardium by reperfusion: importance of collateral blood flow and myocardial oxygen demand during occlusion, 403
 PUDDU P E, JOUVE R, LANGLET F, GUILLEN J-C, FORNARI M, TORRESANI J, and REALE A Prevention of postischaemic ventricular fibrillation by long term beta adrenoceptor blockade with acebutolol in the anaesthetised dog, 721

R

- RABINOWITZ B, PARMLEY W W, HAR-ZAHAV Y, ELAZAR E, BLUMLEIN S, NERINSKY R, and NEUFELD H N Correlation between effects of hydralazine on force and on the adenylyl cyclase system of ventricular myocardium in dogs and cats, 215
 RADDA G K *see* MALLOY C R *et al*
 MATTHEWS P M *et al*
 RAEEKALLIO J *see* REMES V *et al*
 RÄMÖ P *see* KETTUNEN R *et al*
 REALE A *see* PUDDU P E *et al*
 REECE I J *see* SIMPSON I A *et al*
 REEGL M *see* BOWKER T J *et al*
 REMES V, VON SMITTEN K, WARIS T, and RAEEKALLIO J Histochemical examination of energy metabolism in aortic vein grafts in rats, 783
 RENEMAN R S *see* SNOECKX L H E H *et al*
 RETH E A *see* VON RETH E A
 RICCIARDI L, BUCK J J J, and TER KEURS H E A J Effects of acidosis on force-sarcomere length and force-velocity relations of rat cardiac muscle, 117
 RICKARDS A F *see* BOWKER T J *et al*
 RIUS J *see* FIGUERAS J *et al*
 ROBINSON G J *see* MANLEY B S *et al*
 ROMASCHIN A D *see* MICKLE D A G *et al*
 ROSE J C *see* NEMATZADEH D *et al*

- ROSSNER K L and COUDRAI P R Contractile properties of papillary muscle from young cardiomyopathic hamsters: effects of isoprenaline, 609
 ROUSSEAU-MIGNERON S *see* NADEAU A *et al*
 ROY P *see* YAGINUMA T *et al*
 RYDER W A *see* WAY B *et al*
 RYLEY H C *see* EDWARDS D H *et al*

S

- SAFAR M E, LONDON G M, ASMAR R G, HUGUES C J, and LAURENT S A An indirect approach for the study of the elastic modulus of the brachial artery in patients with essential hypertension, 563
 SALZMAN E *see* KAMM R *et al*
 SANTOLI C *see* PAGANI M *et al*
 SASAKI S *see* IYODA I *et al*
 SAUVAGE L R *see* APPLEYARD R F and SAUVAGE L R
 SAVARD P *see* CARSON D L *et al*
 SCHIERECK P, KIL P J M, and DE BEER E L Immediate effects of diastolic loading variations on the left ventricular inotropic state in open chest dogs, 337
 SCHMIDT M *see* PAULSON D J *et al*
 SCHMITZ W *see* BÖHM M *et al*
 SCHOEN F J *see* PRZYKLEK K *et al*
 SCHOLZ H *see* BÖHM M *et al*
 SEAWORTH J F *see* JENNINGS T J *et al*
 SEITZ W S *see* MCILROY M B *et al*
 SEJERSTED O M *see* ILEBEKK A *et al*
 SENADOR G *see* FIGUERAS J *et al*
 SHAPIRO A *see* KAMM R *et al*
 SHARGORODSKY B M, BRAUN S, BELHASSEN B, and LANIADO S Antiarrhythmic and haemodynamic effects of tiapamil, a new calcium antagonist, during coronary artery occlusion and reperfusion in dogs, 652
 SHARMA R V and BHALLA R C Phosphorylation of cytoskeletal proteins tightly associated with the vascular smooth muscle membranes, 303
 — McELDOON J P, and BHALLA R C Age dependent changes in myosin ATPase activity in the myocardium of spontaneously hypertensive rats, 52
 SHIKANO K, KUSAGAWA M, ITOH H, and HIDAKA H Protective effects of the calmodulin antagonist bepridil on ischaemia induced in the rat myocardium, 364
 SHIMAMATSU K and FOUAD-TARAZI F M Basal inotropic state in rats with renal hypertension: influence of coronary flow and perfusion pressure, 269
 SHIMONI Y, GOTSMAN M, EPSTEIN M, KACHALSKY S, DEUTSCH J, and LICHTSTEIN D Further characterisation of the inotropic effect of a bufodienolide glycoside — an endogenous ouabain like compound, 229
 SHIMSHAK T M, PREUSS K C, GROSS G J, BROOKS H L, and WARLTIER D C Recovery of contractile function in post-ischaemic reperfused myocardium of conscious dogs: influence of nicorandil, an new antianginal agent, 621
 SHIRASAWA H *see* YAMASHITA T *et al*
 SHIRATO C *see* ISHIKAWA K *et al*
 SHUG A L *see* PAULSON D J *et al*
 SIDEMAN S *see* KIMMEL E *et al*
 SIEVERS R *see* WIKMAN-COFFELT J *et al*
 SIMPSON I A, FISHER J, REECE I J, HOUSTON A B, HUTTON I, and WHEATLEY D J Comparison of Doppler ultrasound velocity measurements with pressure differences across bioprosthetic valves in a pulsatile flow model, 317
 SIMPSON P C *see* KARLNER J S *et al*
 SKORDALAKI A *see* BLAND J *et al*
 SMITH M B *see* MALLOY C R *et al*
 SMITH N A *see* BLAKE K *et al*

SMITH S A, STALLARD T J, and LITTLER W A Estimation of sinoaortic baroreceptor heart rate reflex sensitivity and latency in man: a new microcomputer assisted method of analysis, 877

SMITTON K *see* VON SMITTON K

SNOECKX L H E H, VAN DER VUSSE G J, COUMANS W A, WILLEMSSEN P H M, VAN DER NAGEL T, and RENEMAN R S Myocardial function in normal and spontaneously hypertensive rats during reperfusion after a period of global ischaemia, 67

SONNENBLICK E H *see* TEPPER D *et al*

SPÄH F Bioelectrical and mechanical effects of tiapamil (Ro11-1781) on isolated guinea pig myocardium, 42

STALLARD T J *see* SMITH S A *et al*

STANBRIDGE R D *see* MONRO D M *et al*

STANCL M *see* FISHBEIN M C *et al*

STANGELAND L, GRONG K, VIK-MO H, ANDERSEN K S, and LEKVEN J Is reduced cardiac performance the only mechanism for myocardial infarct size reduction during beta adrenergic blockade? 322

— *see also* GRONG K *et al*

STASZEWSKA-WOOLLEY J, LUK D E, and NOLAN P N Cardiovascular reflexes mediated by capsaicin sensitive cardiac afferent neurones in the dog, 897

STERN S D A *see* TODD G L *et al*

STERRENBURG L *see* VAN DER LAARSE A *et al*

STRAUSS H W *see* KAMM R *et al*

STURRIDGE M F *see* MITCHELL M R *et al*

SUGIMOTO T *see* INOUE H *et al*

SUNTA C M *see* VALIATHAN M S *et al*

SWAYZE C R *see* BRAUNLIN E A *et al*

EMERY R W *et al*

T

TAGGART P *see* HAYWARD R P and TAGGART P

TAKAHASHI H *see* IYODA I *et al*

TAKEDA K *see* IYODA I *et al*

TANCREDI G *see* NADEAU A *et al*

TANI M, YAMAZAKI H, NOMA S, OHNISHI S, HANDA S, and NAKAMURA Y Reversal of depressant effects of propranolol on the left ventricular pump function by nifedipine in dogs with chronic ischaemia, 282

TARAZI F M FOUAD *see* FOUAD-TARAZI F M

TARGETT R C, HELDT C P, and McILROY M B Doppler blood velocity in the pulmonary artery of infants, children, and adults 816

— *see also* McILROY M B *et al*

TAYLOR D J *see* MATTHEWS P M *et al*

TEBA L *see* CHIDECHEL E W *et al*

TEPLICK R S *see* GEFFIN G A *et al*

TEPPER D, CAPASSO J M, and SONNENBLICK E H Excitation-contraction coupling in rat myocardium: alterations with long term ethanol consumption, 369

TER KEURS H E D J *see* RICCIARDI L *et al*

TERRAR D A *see* MITCHELL M R *et al*

TIEDT N *see* GRÄSER T *et al*

TIMISJÄRVI J *see* KETTUNEN R *et al*

TIMOUR-CHAH Q *see* BERTRIX L *et al*

TINDALE W B and TROWBRIDGE E A Modification of the Gorlin equation for use with heart valve substitutes, 458

TITUS J S *see* GEFFIN G A *et al*

TODD G L, STERN S D A, PLAMBECK R D, JOEKEL C S, and ELIOT R S Protective effects of slow channel calcium antagonists on noradrenaline induced myocardial necrosis, 645

TOMIOKA M, KISHIMOTO C, MATSUMORI A, and KAWAI C Mural thrombus in experimental viral myocarditis in mice: relation between thrombosis and congestive heart failure, 665

— *see also* KISHIMOTO C *et al*

TORRESANI J *see* PUDDU P E *et al*

TÓZSEGI A *see* ÉDES I *et al*

TÓTH G K *see* ÉDES I *et al*

TRAXLER J *see* PAULSON D J *et al*

TRESLONG C H F BLOYS *see* BLOYS VAN TRESLONG C H F

TRIPP L D *see* JENNINGS T J *et al*

TROWBRIDGE E A *see* TINDALE W B and TROWBRIDGE E A

TSUYA T *see* ISHIKAWA K *et al*

TWIST V W *see* MITCHELL M R *et al*

V

VALIATHAN M S, KARTHA C C, PANDAY V K, DANG H S, and SUNTA C M A geochemical basis for endomyocardial fibrosis, 679

VALLE G DEL *see* DEL VALLE G

VALTY J *see* LE HEUZEY J-Y *et al*

VAN BELLE H, WYNANTS J, XHONNEUX R, and FLAMENG W Changes in creatine phosphate, inorganic phosphate, and the purine pattern in dog hearts with time of coronary artery occlusion and effect thereon of miflozine, a nucleoside transport inhibitor, 658

VAN DER LAARSE A, JULICHER R H M, STERRENBURG L, and BLOYS VAN TRESLONG C H F Lipid peroxidation in neonatal rat heart cell cultures: effects of cumene hydroperoxide, 20

VAN DER NAGEL T *see* SNOECKX L H E H *et al*

VAN DER VUSSE G J *see* SNOECKX L H E H *et al*

VAN DER WERF F *see* MINTEN J *et al*

VAN TRESLONG C H F BLOYS *see* BLOYS VAN TRESLONG C H F

VANDEPLASSCHE G *see* FLAMENG W *et al*

VANGINNEKEN A C G *see* OPHOF T *et al*

VANHAECHE J *see* FLAMENG W *et al*

VAUGHAN WILLIAMS E M, DENNIS P D, and GARNHAM C Circadian rhythm of heart rate in the rabbit: prolongation of action potential duration by sustained beta adrenoceptor blockade is not due to associated bradycardia, 528

— *see* DENNIS P D and VAUGHAN WILLIAMS E M

VERDETTI J *see* KREHER P and VERDETTI J

VERDOUW P D *see* HARTOG J M *et al*

VERMEULEN M *see* CARSON D L *et al*

VERRIER R L *see* HOHNLOSER S H *et al*

VERSPRILLE A *see* BOGAARD J M *et al*

VICTORY J *see* WAY B *et al*

VIK-MO H *see* GRONG K *et al*

STANGELAND L *et al*

VIVALDI M T *see* PRZYKLENK K *et al*

VON SMITTON K *see* REMES V *et al*

VON RETH E A *see* BOGAARD J M *et al*

VUSSE G J VAN DER *see* VAN DER VUSSE G J

W

WAGNER G *see* BROWN L *et al*

WAHLER G M *see* BRAUNLIN E A *et al*

EMERY R W *et al*

WALDROP T G and ORDWAY G A Role of prostaglandins in initiating cardiovascular reflexes originating from the pancreas and the gall bladder, 312

WARIS T *see* REMES V *et al*

WARTLIER D C *see* PELC L R *et al*

SHIMSHAK T M *et al*

WATANABE Y *see* HOSOMI H *et al*

WAY B, VICTORY J, LEWINTER M M, LEW W Y, DOYLE R, FOËX P, RYDER W A, and JONES L A Hysteresis of left ventricular end ejection pressure-dimension relations after acute pressure loading in the intact canine heart, 490

WEAVER M E, PANTLEY G A, BRISTOW J D, and LADLEY H D A quantitative study of the anatomy and distribution of coronary arteries in swine in comparison with other animals and man, 907

WEISS H R *see* ELIADES D and WEISS H

GROVER G J and WEISS H

WERF F VAN DER *see* VAN DER WERF F

WESLEY R C, BOYKIN M T, and BELARDINELLI L Role of adenosine as mediator of bradyarrhythmias during hypoxia in isolated guinea pig hearts, 752

WESTERHOF N *see* DE JONG J P *et al*

WHEATLEY D J *see* SIMPSON I A *et al*

WHITE C W, HOLIDA M D, and MARCUS M L Effects of acute atrial fibrillation on the vasodilator reserve of the canine atrium, 683

WHITE F P and WHITE S R Isoproterenol induced myocardial necrosis is associated with stress protein synthesis in rat heart and thoracic aorta, 512

WHITE S R *see* WHITE F P and WHITE S R

WHITING M V *see* CAMBRIDGE D and WHITING M V

WIEGNER A W *see* NAKAMURA Y *et al*

WIKMAN-COFFELT J, SIEVERS R, PARMLEY W W, and JASMIN G Cardiomyopathic and healthy acidotic hamster hearts: mitochondrial activity may regulate cardiac performance, 471

WILLEMSSEN P H M *see* SNOECKX L H E H *et al*

WILLIAMS E M VAUGHAN *see* VAUGHAN WILLIAMS E M

WILSON G J *see* MICKLE D A G *et al*

WILSON P A POOLE- *see* POOLE-WILSON P A

WISE M E *see* BOGAARD J M *et al*

WOLF P H *see* NEMATZADEH D *et al*

WOLOSZYN W *see* KARLINER J S *et al*

WOOLLEY J STASZEWSKA- *see* STASZEWSKA-WOOLLEY J

WYNANTS J *see* VAN BELLE H *et al*

X

XHONNEUX R *see* VAN BELLE H *et al*

Y

YAGINUMA T, AVOLIO A, O'Rourke M, NICHOLS W, MORGAN J J, ROY P, BARON D, BRANSON J, and FENELEY M Effect of glyceryl trinitrate on peripheral arteries alters left ventricular hydraulic load in man, 153

YAMAMOTO K *see* IMURA T *et al*

YAMASHITA T, KOBAYASHI A, YAMAZAKI N, MIURA K, and SHIRASAWA H Effects of L-carnitine and verapamil on myocardial carnitine concentration and histopathology of Syrian hamster BIO 14.6, 614

YAMAZAKI H *see* TANI M *et al*

YAMAZAKI N *see* YAMASHITA T *et al*

YANAGISAWA A *see* ISHIKAWA K *et al*

YASUDA H *see* IMURA T *et al*

YOSHIMURA M *see* IYODA I *et al*

YOTSUKURA M *see* ISHIKAWA K *et al*

YTREHUS K, MYKLEBUST R, and Mjos O D Influence of oxygen radicals generated by xanthine oxidase in the isolated perfused rat heart, 597

Z

ZAHAV Y HAR- *see* HAR-ZAHAV Y

1911

1. The first part of the report deals with the general situation of the country. It is a very interesting and well-written account of the country and its people. The author has done a great deal of research and has gathered a wealth of material. The report is a valuable contribution to the knowledge of the country and its people.

2. The second part of the report deals with the history of the country. It is a very interesting and well-written account of the history of the country and its people. The author has done a great deal of research and has gathered a wealth of material. The report is a valuable contribution to the knowledge of the country and its people.

3. The third part of the report deals with the geography of the country. It is a very interesting and well-written account of the geography of the country and its people. The author has done a great deal of research and has gathered a wealth of material. The report is a valuable contribution to the knowledge of the country and its people.

4. The fourth part of the report deals with the politics of the country. It is a very interesting and well-written account of the politics of the country and its people. The author has done a great deal of research and has gathered a wealth of material. The report is a valuable contribution to the knowledge of the country and its people.

5. The fifth part of the report deals with the economy of the country. It is a very interesting and well-written account of the economy of the country and its people. The author has done a great deal of research and has gathered a wealth of material. The report is a valuable contribution to the knowledge of the country and its people.

6. The sixth part of the report deals with the culture of the country. It is a very interesting and well-written account of the culture of the country and its people. The author has done a great deal of research and has gathered a wealth of material. The report is a valuable contribution to the knowledge of the country and its people.

7. The seventh part of the report deals with the future of the country. It is a very interesting and well-written account of the future of the country and its people. The author has done a great deal of research and has gathered a wealth of material. The report is a valuable contribution to the knowledge of the country and its people.

SUBJECT INDEX 1986, Volume 20

A

- Acebutolol, long term beta adrenoceptor blockade in prevention of postischaemic ventricular fibrillation, anaesthetised dog, 721
- Acetylcholine, absence of role of endothelium in response of isolated porcine coronary arteries, 299
- Acidosis, effects on force-sarcomere length and force-velocity relations, rat cardiac muscle, 117
- Action potential configuration, role of ATP in maintenance, isolated working rat heart, 89
 - duration, monophasic, in myocardial ischaemia, 740
 - — prolongation sustained by beta blockade, not due to associated bradycardia, 528
 - — and refractoriness, atrial, effect of sotalol, 100
- Adenine nucleotide metabolism and calcium antagonists, rat heart, 604
- Adenosine mediated feedback control, impaired, role in development of hereditary dystrophic cardiomyopathy, 568
 - in mediating myocardial blood flow response to isoproterenol, 504
 - role as mediator of bradyarrhythmias during hypoxia, isolated guinea pig hearts, 752
 - triphosphate, role in maintenance of action potential configuration, isolated working rat heart, 89
- Adenyl cyclase, myocardial, and force, effects of hydralazine, 215
- Adenylate cyclase response, human myocardium, effects of beta blocking agents on density of beta adrenoceptors, 637
- Adrenaline, effects on cardiac sensitisation, 807
 - and salinomyocin compared, haemodynamics and work efficiency, dog heart, 145
- Adrenergic receptor stimulation, effect on serum potassium concentrations and myocardial electrical stability, 891
- Adrenocorticotrophic hormone, centrally induced cardiovascular and sympathetic responses, 778
- Age dependent changes, in myosin ATPase activity, in myocardium, spontaneously hypertensive rats, 52
- Airway pressure, effects of changes on left ventricle and left atrium, dogs, 853
- Albumin, distribution in myocardial infarction, 36
- Alcohol ingestion, chronic, myocardial lipid peroxidation after, effects of different antioxidants, rats, 542
 - long term, effects on glutathione metabolising enzymes and taurine contents in myocardium, rats, 918
- Alcoholism, and excitation-contraction coupling in rat myocardium, 369
- Alinidine (STS67) induced bradycardia, in presence of caesium, 375
 - electrophysiological effects on sinoatrial node fibres, rabbit heart, 727
- Aorta, abdominal, ultrasound measurement of elastic properties, 208
 - constriction and myocardial ischaemia, 498
 - normal, and its branches, transmission line model, 581
 - valve leaflets, endothelial cell orientation, 760
 - vein grafts, energy metabolism, histochemical examination, rats, 783
- Arterial response to venous occlusion, in hypertension, 124
 - stenosis, quantification, femoral arteries, dog and man, 134
- Atenolol, subsidiary class III effects, 705
- Atherosclerosis, effect on responsiveness of rapidly acting arterial pressure control system, hyperlipidaemic rabbit, 195
- Athymic mice, animal model of silent myocarditis, 768
- Atrial atrium action potential duration and refractoriness effect of sotalol, 100

- fibrillation, acute, effects on vasodilator reserve, dog, 683
- influence of current strength on excitability and conduction, man, 76
- left, effects of changes in airway pressure, dogs, 853
- pacing, effect on QT interval, 349
- Atrioventricular node, influence of current strength on excitability and conduction, man, 76
- AUTHORS INSTRUCTIONS, 1
- Axial pressure gradient, superior vena cava, dog, 935

B

- Baroreflex sensitivity, conscious rats, influence of recording site, 379
- Bepidil, calmodulin antagonist, effect on ischaemia, 364
- Beta blocking agents, effects on density of beta adrenoceptors and adenylate cyclase response, human myocardium, 637
 - cardiac performance and infarct size, 322
 - cellular lipid accumulation in different regions of myocardial infarcts during, cats, 248
 - long term, with acebutolol, in prevention of postischaemic ventricular fibrillation, anaesthetised dog, 721
 - subsidiary class III effects, atenolol, metoprolol, nadolol, oxprenolol and sotalol compared, 705
- Beta₁ adrenoceptor desensitisation, in cardiac myocytes, mechanisms and time course, 221
- Bevantolol, alleviation of myocardial ischaemia after administration, 264
- Bilateral simultaneous indirect systolic blood pressure measurements, 774
- Bioprosthetic valves, in pulsatile flow model, Doppler ultrasound, 317
- Blood pressure, aortic, effect on myocardial blood flow during tamponade, dogs, 822
 - — high fidelity, in ambulant patients, 384
 - supply and stenosis, quantification, dog and man, 134
- Body surface and epicardial ECG potentials compared, man, 201
- Brachial artery, elastic modulus, in essential hypertension, 563
- Bradyarrhythmias during hypoxia, role of adenosine as mediator, isolated guinea pig hearts, 752
- Bradykinin, to evoke reflexes, modulation of effect by prostaglandins, 312
- Bufodienolide glycoside, inotropic effect, 229

C

- Caesium, and alinidine induced bradycardia, 375
- Calcium antagonists and adenine nucleotide metabolism, rat heart, 604
 - — slow channel, protective effects on noradrenaline induced myocardial necrosis, 645
 - extracellular, and endothelium derived relaxant factor, 7
 - paradox, protection by verapamil, dependence on micromolar calcium, 845
- Calmodulin antagonist, bepidil, effect on ischaemia, 364
- Capsaicin sensitive cardiac afferent neurones, cardiovascular reflexes mediated by, dog, 897
- Cardiac contractility, QA interval as index, 444
 - muscle, glycolysis in, assessment of techniques for prevention, 837
 - — myoglobin facilitated oxygen diffusion maintains mechanical function, 627
 - output, augmentation by chest and abdomen phased compression cardiopulmonary resuscitation, 574
 - performance, infarct size, and beta adrenergic blockade, 322
 - — and mitochondrial activity, in cardiomyopathy, 471

- sensitization, effects of difluorodichloromethane and adrenaline, 807
- Cardiomyopathy contractile properties of papillary muscle, effect of isoprenaline, 609
- dystrophic, hereditary, role of impaired adenosine mediated feedback control in development, 568
- mitochondrial activity and cardiac performance, 471
- Cardiopulmonary resuscitation, phased compression, chest and abdomen, in augmentation of cardiac output and carotid blood flow, 574
- Carotid blood flow, augmentation by chest and abdomen phased compression cardiopulmonary resuscitation, 574
- Cells, heart, isolated from human ventricular tissue, electrical properties and response to noradrenaline, 869
- Centrally induced cardiovascular and sympathetic responses to adrenocorticotrophic hormone, 778
- Circadian rhythm of heart rate, prolongation of action potential duration by sustained beta adrenoceptor blockade not due to associated bradycardia, 528
- Common carotid artery, early intimal lesions, 863
- Compression, pneumatic, external, for prophylaxis against deep vein thrombosis, optimisation of indices, radionuclide gated imaging studies, 588
- Computer model, heart, evaluating possible pathophysiology of torsade de pointes, 436
- Contractile failure, acute, in hypoxic rat heart, biochemical mechanisms, 13
- function, recovery, and nicorandil, 621
- Contrast injection, intravenous, peripheral, influence on QRS complex, healthy men, 61
- Coronary arteries, anatomy and distribution, quantitative study, swine, other animals, and man compared, 907
- occlusions, repetitive, progressive mechanical impairment associated with progressive but reversible electrocardiographic ischaemic changes, pigs, 797
- circulation, effect of hypercapnia, 127
- flow, influence on basal inotropic state in renal hypertension, rats, 269
- vascular reserve, in left ventricular hypertrophy, dog, 182
- Corrections, 240
- Cumene hydroperoxide, effects on lipid peroxidation, neonatal rat heart cell cultures, 20
- Current strength, influence on excitability and conduction of atrium and atrioventricular node, man, 76
- Cytoskeletal proteins, phosphorylation, tightly associated with vascular smooth muscle membranes, 303

D

- Deep vein thrombosis, external pneumatic compression for prophylaxis against, optimisation of indices, radionuclide gated imaging studies, 588
- Depolarisation, myocardial, ischaemic, rate dependence, evidence for novel membrane current, 557
- Diabetes, increased mortality rate after myocardial infarction, rats, 171
- Diastolic coronary resistance, during and after ischaemia, isolated rabbit heart, contribution of extravascular forces, 883
- pressure, left ventricular, effects on pressure flow relation of coronary circulation during physiological vasodilatation, 922
- Dietary restriction, ventricular growth during, rats, 672
- Difluorodichloromethane, effects on cardiac sensitization, 807
- Dihydroergotamine, effect on +Gz acceleration tolerance, 389
- 4-Diphenylacetoxy-N-methylpiperidine methyl bromide (4-DAMP), and regional myocardial perfusion, 482
- Doppler blood velocity, in pulmonary artery of infants, children, and adults, 816
- Doppler ultrasound in bioprosthetic valves, in pulsatile flow model, 317

E

- Elastic modulus of brachial artery, in essential hypertension, 563
- Electrical stability, myocardial, effects of adrenergic and muscarinic receptor stimulation, 891
- Electrocardiogram, in ambulant patients, 384
- End ejection pressure-dimension hysteresis, 490
- End diastolic volume, influence on inotropic state, 337
- Endogenous cardiac regulator, inotropic effect, bufodienolide glycoside, 229
- Endomyocardial fibrosis, geochemical basis for, 679
- Endothelial cell orientation on aortic valve leaflets, 760
- Endothelium derived relaxant factor, production dependent on oxidative phosphorylation and extracellular calcium, 7
- derived relaxing factor as local autocrine, inhibition by haptoglobin-haemoglobin complex, 549
- role, absence, in response of isolated porcine coronary arteries to acetylcholine, 299
- Energy metabolism, in aortic vein grafts, histochemical examination, rats, 783
- Epicardial and body surface ECG potentials compared, man, 201
- Essential hypertension, elastic modulus of brachial artery, 563
- Ethanol, long-term consumption, and excitation-contraction coupling in rat myocardium, 369
- Excitation-contraction coupling, myocardium, rat, alterations with long term ethanol consumption, 369
- Exogenous substrate preference, post-ischaemic myocardium, 256
- External pneumatic compression, for prophylaxis against deep vein thrombosis, optimisation of indices, radionuclide gated imaging studies, 588

F

- Femoral arteries, quantification in arterial stenosis, dog, man, 134
- Fibrillation, ventricular and atrial, protection against, by sotalol, 358
- Fibrinogen, distribution in myocardial infarction, 36
- Fibrosis, endomyocardial, geochemical basis for, 679

G

- Geochemical basis for endomyocardial fibrosis, 679
- Global ischaemia, in spontaneously hypertensive rats, myocardial function, 67
- Glutathione metabolising enzymes, myocardium, effects of long term alcohol ingestion, rats, 918
- Glycerol trinitrate, effect on peripheral arteries alters left ventricular hydraulic load, man, 153
- Glycolysis in cardiac muscle, assessment of techniques for prevention, 837
- Gorlin equation, modification for use with heart valve substitutes, 458
- Graft, synthetic, arterial replacement, haemodynamic consequences, 26
- +Gz acceleration tolerance, effect of dihydroergotamine, 389

H

- Halothane, effects on intramyocardial pressure, canine left ventricle, 275
- Haptoglobin-haemoglobin complex, inhibiting endothelium dependent relaxation, 549
- Heart, diseased, inotropic, human, 516
- rats, and cardiac potassium changes, pig, 176
- valve, substitutes, modification of Gorlin equation, 458
- High fidelity arterial pressure, in ambulant patients, 384
- Hydralazine, effects on force and on myocardial adenylyl cyclase, 215
- Hypercapnia, effect on coronary circulation, 127
- Hyperlipidaemic rabbit, effect of atherosclerosis on responsiveness of rapidly acting arterial pressure control systems, 195

- Hypertension, arterial response to venous occlusion, 124
 — renal, basal inotropic state in, influence of coronary flow and perfusion pressure, rats, 269
 Hypertrophic cardiomyopathy, in man, kangaroo as model for study, 398
 Hypotension, reflex, due to regional contractility increase, 161
 Hypothalamus, ouabain injected into, cardiovascular and sympathetic responses, rats, 294
 Hypoxia, acute contractile failure in, biochemical mechanisms, 13
 — bradyarrhythmias during, role of adenosine as mediator, isolated guinea pig hearts, 752
 — myocardial relaxation during, 690
 Hysteresis, end ejection pressure-dimension, 490

I

- Infarct size, cardiac performance, and beta adrenergic blockade, 322
 — relation to QRS vector changes in experimental infarction, dogs, 108
 Ionophore, carboxylic (salinomycin) and adrenaline compared, haemodynamics and work efficiency, dog heart, 145
 Inotropic state, left ventricular, diastolic loading variations, 337
 Inotropy in diseased human ventricular myocardium, 516
 — effect of endogenous ouabain like compound, bufodienolide glycoside, 229
 — and ouabain binding, in acute potassium depletion, guinea pigs, 286
 Intimal lesions, early, in common carotid artery, 863
 Intramyocardial pressure, effects of halothane, canine left ventricle, 275
 Ischaemia changes in myocardial metabolites, 658
 — diastolic coronary resistance during and after, isolated rabbit heart, contribution of extravascular forces, 883
 — myocardial depolarisation, rate dependence, evidence for novel membrane current, 557
 — myocardium, characterisation of unipolar waveform alternation, porcine, 521
 — — influence of propranolol on acidosis and high energy phosphates, rabbit, 710
 — — and L-propionylcarnitine, 536
 Isoprenaline, effect on contractile properties of papillary muscle, in cardiomyopathy, 609
 Isoproterenol adenosine in mediating myocardial blood flow response to, 504
 — effect on QT interval, 349
 — induced myocardial necrosis, and stress protein synthesis, rat heart and thoracic aorta, 512
 Isovolumic pressure fall, time constant, intact left ventricle, dog, 698

L

- Laser angioplasty, normal and atheromatous arterial wall, 393
 L-carnitine, effects on myocardial carnitine concentration and histopathology of Syrian hamster BIO 14.6, 614
 Lipid accumulation, in different regions, myocardial infarcts, during beta blockade, 248
 — peroxidation, myocardial, after chronic alcohol ingestion, effects of different antioxidants, rats, 542
 — neonatal rat heart cell cultures, effects of cumene hydroperoxide, 20
 Lignocaine, effect on QT interval, 349
 L-propionylcarnitine, and ischaemic myocardium, 536

M

- Mechanoreceptors, left ventricular, regional activation causing reflex hypotension, 161
 Metoprolol, subsidiary class III effects, 705

- Microcomputer assisted method of analysis, new, in estimation of sinoaortic baroreceptor heart rate reflex sensitivity and latency in man, 877
 Mioflazine, effect on changes in myocardial metabolites, in ischaemia, 658
 Mitochondrial activity and cardiac performance, in cardiomyopathy, 471
 Mitral valve disease, beta adrenoceptor density, and adenylate cyclase, 331
 Mural thrombus, in experimental viral myocarditis, mice, 665
 Muscarinic receptor stimulation, effects on serum potassium concentrations and myocardial electrical stability, 891
 — subtypes, changes in regional myocardial perfusion by, 482
 Myocardium (myocardial) bioelectrical and mechanical effects of Tiapamil (RO 11-1781), guinea pig, 42
 — blood flow during tamponade, effect of aortic blood pressure, dogs, 822
 — — regional, in myocardial ischaemia, 740
 — carnitine concentration and histopathology, effects of L-carnitine and verapamil, Syrian hamster BIO 14.6, 614
 — excitation-contraction coupling, alterations with long term ethanol consumption, rat, 369
 — function, after global ischaemia, in spontaneously hypertensive rats, 67
 — infarction, distribution of fibrinogen and albumin, 36
 — — experimental, in dogs and baboons, 241
 — — increased mortality, in diabetes, rats, 171
 — — QRS vector changes, and infarct size, dogs, 108
 — ischaemia, alleviation after administration of bevantolol, 264
 — — and aortic constriction, 498
 — — regional contractility increase, 161
 — relation between monophasic action potential duration, ST segment elevation, and regional myocardial blood flow, pig, 740
 — reversible electrocardiographic changes, during repetitive coronary occlusions, pigs, 797
 — lipid peroxidation, after chronic alcohol ingestion, effects of different antioxidants, rats, 542
 — myosin ATPase activity, age changes, spontaneously hypertensive rats, 52
 — necrosis, early, histofluorescence in identification, 451
 — noradrenaline induced, protective effects of slow channel calcium antagonists, 645
 — post-ischaemic, exogenous substrate preference, 256
 — right atrial, and left ventricular, in mitral valve disease, beta adrenoceptor density and adenylate cyclase, 331
 Myocarditis silent, animal model, in athymic mice, 768
 — viral, experimental, mural thrombus in, mice, 665
 Myocytes, cardiac lipid peroxidation in neonatal rat heart cell cultures, 20
 — mechanisms and time course of beta₁ adrenoceptor desensitisation, 221
 Myoglobin facilitated oxygen diffusion maintains mechanical function of mammalian cardiac muscle, 627
 Myosin ATPase activity, in myocardium, age changes, spontaneously hypertensive rats, 52
 — light and heavy chain isotopes, cardiac, in tetralogy of Fallot, 828

N

- Na, K-pump, quantification of ³H-ouabain binding site, myocardium, 428
 Nadolol, in prolongation of action potential duration, and circadian rhythm of heart rate, 528
 — subsidiary class III effects, 705
 Nicorandil, and recovery of contractile function, 621
 Nifedipine in reversal of effects of propranolol, 282
 — in treatment of Raynaud's syndrome, 466
 Noradrenaline electrical properties and response of individual heart cells isolated from human ventricular tissue, 869

- induced myocardial necrosis, protective effects of slow channel calcium antagonists, 645
- Notices, 240, 316

O

- Optical transmission of normal and atheromatous arterial wall, spectral analysis, 393
- Ouabain binding and inotropy, in acute potassium depletion, guinea pigs, 286
- ^3H -, binding site, myocardium, Na, K-pump quantification, 428
- injected into hypothalamus, cardiovascular and sympathetic responses, rats, 294
- Oxidative phosphorylation, and endothelium derived relaxant factor, 7
- Oxprenolol, subsidiary class III effects, 705
- Oxygen radicals, generated by xanthine oxidase, influence in isolated perfused rat heart, 597

P

- Pacemaker shifts, sinus node activity recordings, compared with estimated sinoatrial conduction times, 81
- Perfusion pressure, influence on basal inotropic state in renal hypertension, rats, 269
- Phased compression cardiopulmonary resuscitation, chest and abdomen, in augmentation of cardiac output and carotid blood flow, 574
- Pirenzepine, and regional myocardial perfusion, 482
- Post-ischaemic myocardium, exogenous substrate preference, 256
- Potassium depletion, ouabain binding and inotropy, guinea pigs, 286
- myocardial, changes during alterations in pacing frequency, pig, 176
- serum, concentrations, effects of adrenergic and muscarinic receptor stimulation, 891
- Preload, effect on ischaemic and non-ischaemic left ventricular regional function, 415
- Pressure flow relation of coronary circulation during physiological vasodilatation, effects of left ventricular diastolic pressure, 922
- Propranolol influence on acidosis and high energy phosphates, in ischaemic myocardium, rabbit, 710
- reversal of effects by nifedipine, 282
- Prostaglandins, role in initiating cardiovascular reflexes originating from pancreas and gall bladder, 312
- Pulmonary artery, Doppler blood velocity, infants, children, and adults, 816

Q

- QA interval, as index of cardiac contractility, 444
- QRS complex influence of peripheral intravenous contrast injection, healthy men, 61
- vector changes in experimental infarction, dogs, 108
- Quinidine induced prolonged QT interval, ventricular fibrillation threshold, 349

R

- Radionuclide gated imaging studies, optimisation of indices of external pneumatic compression for prophylaxis against deep vein thrombosis, 588
- Random walk type models for indicator-dilution studies, comparison of local density random walk and first passage times distribution, 789
- Raynaud's syndrome, nifedipine in treatment, 466
- Reflex hypotension, due to regional contractility increase, 161

- Relaxation, myocardial, during hypoxia and reoxygenation, 690
- Renal hypertension, basal inotropic state in, influence of coronary flow and perfusion pressure, rats, 269
- Reoxygenation, myocardial relaxation during, 690
- Reperfusion, salvage of ischaemic myocardium by, 403
- Resuscitation, cardiopulmonary, phased compression, chest and abdomen, in augmentation of cardiac output and carotid blood flow, 574

S

- Salinomycin and adrenaline compared, haemodynamics and work efficiency, dog heart, 145
- Sarcomere length, and force-velocity relations, effects of acidosis, rat cardiac muscle, 117
- Silent myocarditis, animal model, in athymic mice, 768
- Sinoatrial baroreceptor heart rate reflex sensitivity and latency, estimation in man, new microcomputer assisted method of analysis, 877
- Sinoatrial node fibres, electrophysiological effects of alinidine (ST 567), rabbit heart, 727
- Sinus node activity, recordings, compared with sinoatrial conduction during pacemaker shifts, 81
- Smooth muscle membranes, vascular, phosphorylation of cytoskeletal proteins tightly associated with, 303
- Sotalol effect on atrial action potential duration and refractoriness, cycle length dependency of class III activity, 100
- protection against ventricular and atrial fibrillation, 358
- subsidiary class III effects, 705
- Spectrometry, arterial, analysis of laser angioplasty of normal and atheromatous arterial wall, 393
- Spermine decreasing peripheral vascular resistance, dog, 931
- relaxing isolated aorta, guinea pig, 931
- ST segment elevation, in myocardial ischaemia, 740
- Stress protein synthesis, and isoproterenol induced myocardial necrosis, 512
- Superior vena cava, axial pressure gradient, dog, 935
- Systolic blood pressure, bilateral simultaneous indirect, measurements, 774

T

- Tamponade, myocardial blood flow during, effect of aortic blood pressure, dogs, 822
- Taurine contents, myocardium, effects of long term alcohol ingestion, rats, 918
- Tetralogy of Fallot, cardiac myosin light and heavy chain isotypes, 828
- Thoracic aorta, graft replacement, haemodynamic consequences, 26
- Thrombosis, deep vein, external pneumatic compression for prophylaxis against, optimisation of indices, radionuclide gated imaging studies, 588
- Thrombus, mural, in experimental viral myocarditis, mice, 665
- Tiapamil (RO 11-1781) bioelectrical and mechanical effects, isolated guinea pig myocardium, 42
- new calcium antagonist, antiarrhythmic and haemodynamic effects, during coronary artery occlusion and reperfusion, dogs, 652
- Time constant of isovolumic pressure fall, intact left ventricle, dog, 698
- Timolol, cellular lipid accumulation in different regions of myocardial infarcts during, cats, 248
- Torsade de pointes, evaluated by realistic heart computer model, possible pathophysiology, 436
- Transmission line model, of normal aorta and its branches, 581

U

- Ultrasound measurement of elastic properties of abdominal aorta, 208

V

- Vascular smooth muscle membranes, phosphorylation of cytoskeletal protein tightly associated with, 303
- Vasodilatation, physiological, pressure flow relation of coronary circulation during, effects of left ventricular diastolic pressure, 922
- Vasodilator reserve, effects of acute atrial fibrillation, dog, 683
- Venous occlusion, arterial response, in hypertension, 124
- Ventricle (ventricular) fibrillation, postischaemic, prevention by long term beta adrenoceptor blockade with acebutolol, anaesthetised dog, 721
 - threshold, quinidine induced prolonged QT interval, 349
 - growth during dietary restriction, rats, 672
- left, diastolic pressure, effects on pressure flow relation of coronary circulation during physiological vasodilatation, 922
 - effects of changes in airway pressure, dogs, 853
 - hydraulic load, effect of glyceryl trinitrate on peripheral arteries altering, man, 153
 - hypertrophy, coronary vascular reserve, dog, 182

- inotropic state, diastolic loading variations, 337
- regional function, ischaemic and non-ischaemic, effect of preload, 415
- tissue, heart cells isolated from, electrical properties and response to noradrenaline, 869
- Verapamil effects on myocardial carnitine concentration and histopathology of Syrian hamster BIO 14.6, 614
- protection in calcium paradox, dependence on micromolar calcium, 845
- Viral myocarditis, experimental, mural thrombus in, mice, 665

W

- Walk type models, random, for indicator-dilution studies, comparison of local density random walk and first passage times, distribution, 789

X

- Xanthine oxidase, generating oxygen radicals, influence in isolated perfused rat heart, 597

CONTENTS

No 1 JANUARY 1986

Instructions to authors	1
Production of endothelium derived relaxant factor is dependent on oxidative phosphorylation and extracellular calcium : Tudor M Griffith, David H Edwards, Andrew C Newby, Malcolm J Lewis, Andrew H. Henderson.	7
Biochemical mechanisms of acute contractile failure in the hypoxic rat heart : Paul M Matthews, Doris J Taylor, George K Radda	13
Lipid peroxidation in neonatal rat heart cell cultures: effects of cumene hydroperoxide : Arnoud van der Laarse, Rinette H M Julicher, Lydi Sterrenberg, Cornelia H F Bloys van Treslong	20
Haemodynamic consequences of arterial replacement with synthetic graft : Robert F Appleyard, Lester R Sauvage	26
Distribution of fibrinogen and albumin in normal, ischaemic, and necrotic myocardium during the evolution of myocardial infarction: an immunohistochemical study : Michael C Fishbein, David Kulber, Mark Stancel, Gretchen Edwalds	36
Bioelectrical and mechanical effects of tiapamil (Ro 11-1781) on isolated guinea pig myocardium : Friedhelm Späh	42
Age dependent changes in myosin ATPase activity in the myocardium of spontaneously hypertensive rats : R V Sharma, J P McEldoon, R C Bhalla	52
Influence of peripheral intravenous contrast injection on QRS complex in healthy men : Kyoze Ishikawa, Shuzo Kanamaru, Masayuki Yotsukura, Tsueno Tsuya, Chiaki Shirato, Atsuo Yanagisawa	61
Myocardial function in normal and spontaneously hypertensive rats during reperfusion after a period of global ischaemia : H E H Snoeckx, G J van der Vusse, W A Coumans, P H M Willemsen, T van der Nagal, R S Reneman	67
Influence of current strength on excitability and conduction of human atrium and atrioventricular node : Antonio Michelucci, Luigi Padeletti, Domenico Monizzo, Fabio Fantini	76

No 2 FEBRUARY 1986

Intracellular and extracellular recordings of sinus node activity: comparison with estimated sinoatrial conduction times during pacemaker shifts in rabbit heart : Jean-Yves le Heuzey, Louis Guize, Jean Valty, Jean-Paul Moutet, Simon Kouz, Thomas Lavergne, Mohamed Boutjdir, Pierre Peronneau	81
Role of ATP in the maintenance of action potential configuration of the isolated working rat heart : P Kreher, J Verdetti	89
Effect of sotalol on human atrial action potential duration and refractoriness: cycle length dependency of class III activity : Roger P Hayward, Peter Taggart	100
Evolution of vectorcardiographic QRS changes during myocardial infarction in dogs and their relation to infarct size : Per Grøttum, Brit Mohr, John K Kjekshus	108
Effects of acidosis on force-sarcomere length and force-velocity relations of rat cardiac muscle : Lucio Ricciardi, Jeroen J J Bucx, Henk E D J Ter Keurs	117

Arterial response to venous occlusion in normotensive and hypertensive subjects: William A Littler, Mark A Ireland	124
Effect of hypercapnia on coronary circulation: Diane Eliades, Harvey R Weiss	127
How to quantify an arterial stenosis: a study on the femoral arteries of dog and man: Jaap P de Jong, Nico Westerhof, Gijs Elzinga	134
Comparison of the effects of the ionophore salinomycin and adrenaline on the haemodynamics and work efficiency of the dog heart: Mohammad Fahim, Gina del Valle, Berton C Pressman	145
Effect of glyceryl trinitrate on peripheral arteries alters left ventricular hydraulic load in man: Toshio Yaginuma, Alberto Avolio, Michael O'Rourke, Wilmer Nichols, John J Morgan, Paul Roy, David Baron, John Branson, Michael Feneley	153

No 3 MARCH 1986

Reflex hypotension due to regional activation of left ventricular mechanoreceptors to explain the hypotension noted in clinical myocardial ischaemia or reperfusion: Robert W Emery, Jorge A Estrin, Gordon M Wahler, Allen M Booth, Claude R Swayze, Irwin J Fox.	161
Increased mortality rate in diabetic rats submitted to acute experimental myocardial infarction: A Nadeau, G Tancrède, C Jobidon, C D'Amours, S Rousseau-Mignerou	171
Magnitude of myocardial potassium changes during acute alterations in pacing frequency in the in situ pig heart: Arnfinn Ilebekk, Frank R Andersen, Ole M Sejersted	176
Coronary vascular reserve in the greyhound with left ventricular hypertrophy: Michael V Cohen	182
Effect of atherosclerosis on the responsiveness of the rapidly acting arterial pressure control system in WHHL rabbits: Hiroshi Hosomi, Shinichiro Katsuda, Yoshio Watanabe	195
Comparison of epicardial and body surface ECG potentials in man: Donald M Monro, Philip J Bones, Rex de L Stanbridge, Russell W Jones	201
Non-invasive ultrasonic measurement of the elastic properties of the human abdominal aorta: Takashi Imura, Katsuyuki Yamamoto, Katsushi Kanamori, Tomohisa Mikami, Hisakazu Yasuda	208
Correlation between effects of hydralazine on force and on the adenyl cyclase system of ventricular myocardium in dogs and cats: Babeth Rabinowitz, William W Parmley, Yadael Har-Zahav, Ella Elazar, Steven Blumlein, Ron Nerinsky, Henry N Neufeld	215
Mechanisms and time course of beta₁ adrenoceptor desensitisation in mammalian cardiac myocytes: Joel S Karliner, Paul C Simpson, Norman Honbo, Wanda Woloszyn	221
Further characterisation of the inotropic effect of a bufodienolide glycoside — an endogenous ouabain like compound: Y Shimoni, M Gotsman, M Epstein, S Kachalsky, J Deutsch, D Lichtstein	229
Correction — An increase in afterload augments ventricular relaxation rate in isolated perfused canine hearts: M Hiro et al	240
Notice — Peter Debye Prize 1987 in cardiovascular disease	240

No 4 APRIL 1986

Studies on experimental myocardial infarction: dogs or baboons?: William Flameng, Johan Vanhaecke, Godelieve Vandeplassche	241
Cellular lipid accumulation in different regions of myocardial infarcts in cats during beta adrenergic blockade with timolol: Ketil Grong, Harald Jodalén, Lodve Stangeland, Harald Vik-Mo, Jon Lekven	248
Exogenous substrate preference of the post-ischaemic myocardium: D A G Mickle, P J del Nido, G J Wilson, R D Harding, A D Romaschin	256
Alleviation of myocardial ischaemia after administration of the cardioselective beta adrenoceptor antagonist bevantolol: Johannes M Hartog, Pieter D Verdouw	264
Basal inotropic state in rats with renal hypertension: influence of coronary flow and perfusion pressure: Kazumasa Shimamatsu, Fetnat M Fouad-Tarazi	269
Effects of halothane on the intramyocardial pressure of the canine left ventricle: David Nematzadeh, Young D Kim, John C Rose, Pamela H Wolf, Thomas E Macnamara, Peter A Kot	275
Reversal of depressant effects of propranolol on the left ventricular pump function by nifedipine in dogs with chronic ischaemia: Masato Tani, Hajime Yamazaki, Shigetaka Noma, Shohei Ohnishi, Shunnosuke Handa, Yoshiro Nakamura	282
Ouabain binding and inotropy in acute potassium depletion in guinea pigs: Lindsay Brown, Gerhard Wagner, Eugen Hug, Erland Erdmann	286
Cardiovascular and sympathetic responses to ouabain injected into the hypothalamus in rats: Isao Iyoda, Hakuo Takahashi, Li-Chik Lee, Hiroshi Okajima, Atsushi Inoue, Susumu Sasaki, Kazuo Takeda, Manabu Yoshimura, Hamao Ijichi	294
Absence of role of endothelium in the response of isolated porcine coronary arteries to acetylcholine: Thomas Gräser, Harald Leisner, Norbert Tiedt	299
Phosphorylation of cytoskeletal proteins tightly associated with the vascular smooth muscle membranes: R V Sharma, R C Bhalla	303
Role of prostaglandins in initiating cardiovascular reflexes originating from the pancreas and the gall bladder: Tony G Waldrop, George A Ordway	312
Notices	316

No 5 MAY 1986

Comparison of Doppler ultrasound velocity measurements with pressure differences across bioprosthetic valves in a pulsatile flow model: I A Simpson, J Fisher, I J Reece, A B Houston, I Hutton, D J Wheatley	317
Is reduced cardiac performance the only mechanism for myocardial infarct size reduction during beta adrenergic blockade?: Lodve Stangeland, Ketil Grong, Harald Vik-Mo, Knut S Andersen, Jon Lekven	322
Beta adrenoceptor density and adenylate cyclase response in right atrial and left ventricular myocardium of patients with mitral valve disease: Svein Golf, Drude Andersen, Vidar Hansson	331
Immediate effects of diastolic loading variations on the left ventricular inotropic state in open chest dogs: Piet Schiereck, Paul J M Kil, Evert L de Beer	337

Ventricular fibrillation threshold in canine hearts with quinidine induced prolonged QT interval: effects of atrial pacing, isoproterenol, and lignocaine: Hiroshi Inoue, Hiroshi Matsuo, Saburo Mashima, Tsuneaki Sugimoto, Satoru Muraio	349
Protection against ventricular and atrial fibrillation by sotalol: Lucien Bertrix, Quadiri Timour-Chah, Jean Lang, Mohamed Lakhal, Georges Faucon	358
Protective effects of the calmodulin antagonist bepridil on ischaemia induced in the rat myocardium: Kazuhisa Shikano, Minoru Kusagawa, Hiroo Itoh, Hiroyoshi Hidaka	364
Excitation-contraction coupling in rat myocardium: alterations with long term ethanol consumption: David Tepper, Joseph M Capasso, Edmund H Sonnenblick	369
Further studies of alinidine induced bradycardia in the presence of caesium: P D Dennis, E M Vaughan Williams	375
Baroreflex sensitivity in conscious rats: the influence of recording site: Sheila M Gardiner, Terence Bennett	379
Continuous recording of direct high fidelity arterial pressure and electrocardiogram in ambulant patients: Massimo Pagani, Raffaello Furlan, Simonetta Dell'Orto, Paolo Pizzinelli, Giorgio Lanzi, Giuseppe Baselli, Carmine Santoli, Sergio Cerutti, Federico Lombardi, Alberto Malliani	384
Effect of dihydroergotamine on +Gz acceleration tolerance: Tom J Jennings, John F Seaworth, Lora L Howell, Lloyd D Tripp, Chuck D Goodyear	389
 <i>No 6 JUNE 1986</i>	
Optical transmission of normal and atheromatous arterial wall: a spectral analysis: Timothy J Bowker, Paul Edwards, Tom A Hall, Mark Regel, Stephen G Bown, Kim M Fox, Phillip A Poole-Wilson, Anthony F Rickards	393
The kangaroo as a model for the study of hypertrophic cardiomyopathy in man: M F O'Rourke, A P Avolio, W W Nichols	398
Salvage of ischaemic myocardium by reperfusion: importance of collateral blood flow and myocardial oxygen demand during occlusion: Karin Przyklenk, Maria T Vivaldi, Frederick J Schoen, J Malcolm O Arnold, Robert A Kloner	403
Effect of preload on ischaemic and non-ischaemic left ventricular regional function: Gillian A Geffin, Lambertus J Drop, John B Newell, Robert G Johnson, Dennis D O'Keefe, Richard S Teplick, James S Titus, Willard M Daggett	415
Quantification of the ³H-ouabain binding site concentration in human myocardium: a postmortem study: Aage Nørgaard, Keld Kjeldsen, Otto Hansen, Torben Clausen, Christian Grønhoj Larsen, Frederik Grønhoj Larsen	428
Possible pathophysiology of torsade de pointes evaluated by a realistic heart computer model: Marek Malik, A John Camm	436
Evaluation of the QA interval as an index of cardiac contractility in anaesthetised dogs: responses to changes in cardiac loading and heart rate: David Cambridge, Mark V Whiting	444
Usefulness of the phenomenon of histofluorescence in the identification of early myocardial necrosis: Sally P Allwork, Hugh H Bental	451
Modification of the Gorlin equation for use with heart valve substitutes: Wendy R Tindale, E Anthony Trowbridge	458
Nifedipine in the treatment of Raynaud's syndrome: Munther Aldoori, W Bruce Campbell, Paul A Dieppe	466

No 7 JULY 1986

Cardiomyopathic and healthy acidotic hamster hearts: mitochondrial activity may regulate cardiac performance: Joan Wikman-Coffelt, Richard Sievers, William W Parmley, Gaetan Jasmin	471
Changes in regional myocardial perfusion by muscarinic receptor subtypes in dogs: Lorie R Pelc, Garrett J Gross, David C Wartier	482
Hysteresis of left ventricular end ejection pressure-dimension relations after acute pressure loading in the intact canine heart: Bernard Way, Jason Victory, Martin M LeWinter, Wilbur Y Lew, Ramona Doyle, Pierre Foëx, W Alan Ryder, Lee A Jones	490
Effect of aortic constriction on the oxygen supply-consumption balance in partially ischaemic myocardium: Gary J Grover, Harvey R Weiss	498
Role of adenosine in mediating myocardial blood flow response to isoproterenol: observations in closed chest, sedated, domestic swine: Henry Gewirtz, Ray A Olsson, Albert S Most	504
Isoproterenol induced myocardial necrosis is associated with stress protein synthesis in rat heart and thoracic aorta: F P White, S R White	512
Reduced positive inotropic effects in diseased human ventricular myocardium: Lindsay Brown, Bernhard Lorenz, Erland Erdmann	516
Characterisation of unipolar waveform alternation in acutely ischaemic porcine myocardium: D Leigh Carson, René Cardinal, Pierre Savard, Michel Vermeulen	521
Circadian rhythm of heart rate in the rabbit: prolongation of action potential duration by sustained beta adrenoceptor blockade is not due to associated bradycardia: E M Vaughan Williams, P D Dennis, C Garnham	528
Protection of the ischaemic myocardium by L-propionylcarnitine: effects on the recovery of cardiac output after ischaemia and reperfusion, carnitine transport, and fatty acid oxidation: Dennis J Paulson, John Traxler, Mary Schmidt, John Noonan, Austin L Shug	536
Myocardial lipid peroxidation in rats after chronic alcohol ingestion and the effects of different antioxidants: István Édes, Anna Tószegi, Miklós Csanády, Béla Bozóky	542

No 8 AUGUST 1986

Haptoglobin-haemoglobin complex in human plasma inhibits endothelium dependent relaxation: evidence that endothelium derived relaxing factor acts as a local autocoid: D H Edwards, T M Griffith, H C Ryley, A H Henderson	549
Rate dependence of ischaemic myocardial depolarisation: evidence for a novel membrane current: Kathleen Blake, Nellis A Smith, William T Clusin	557
An indirect approach for the study of the elastic modulus of the brachial artery in patients with essential hypertension: M E Safar, G M London, R G Asmar, C J Hugues, S A Laurent	563
Does an impaired adenosine mediated feedback control play a role in the development of hereditary dystrophic cardiomyopathy?: Michael Böhm, Ulrike Mende, Wilhelm Schmitz, Hasso Scholz	568
Augmentation of cardiac output and carotid blood flow by chest and abdomen phased compression cardiopulmonary resuscitation: Eitan Kimmel, Rafael Beyar, Uri Dinnar, Samuel Sideman, Yezekiel Kishon	574

A transmission line model of the normal aorta and its branches: Malcolm B McIlroy, Walter S Seitz, Ralph C Targett	581
Optimisation of indices of external pneumatic compression for prophylaxis against deep vein thrombosis: radionuclide gated imaging studies: Roger Kamm, Richard Butcher, Jerry Froelich, Mark Johnson, Edwin Salzman, Ascher Shapiro, H William Strauss	588
Influence of oxygen radicals generated by xanthine oxidase in the isolated perfused rat heart: Kirsti Ytrehus, Reidar Myklebust, Ole D Mjøs	597
Calcium antagonists and adenine nucleotide metabolism in rat heart: Shailja V Nigdikar, Julia Bowditch, Jocelyn W Dow	604
Contractile properties of papillary muscle from young cardiomyopathic hamsters: effects of isoprenaline: Kenneth L Rossner, Philippe R Coudrai	609
Effects of L-carnitine and verapamil on myocardial carnitine concentration and histopathology of Syrian hamster BIO 14.6: Tetsuo Yamashita, Akira Kobayashi, Noboru Yamazaki, Katsutoshi Miura, Haruyuki Shirasawa	614
Recovery of contractile function in post-ischaemic reperfused myocardium of conscious dogs: influence of nicorandil, a new antianginal agent: Thomas M Shimshak, Kevin C Preuss, Garrett J Gross, Harold L Brooks, David C Warltier	621

No 9 SEPTEMBER 1986

Myoglobin facilitated oxygen diffusion maintains mechanical function of mammalian cardiac muscle: Elizabeth A Braunlin, Gordon M Wahler, Claude R Swayze, Russell V Lucas, Irwin J Fox	627
Effects of beta blocking agents on the density of beta adrenoreceptors and adenylate cyclase response in human myocardium: intrinsic sympathomimetic activity favours receptor upregulation: Svein Golf, Vidar Hansson	637
Protective effects of slow channel calcium antagonists on noradrenaline induced myocardial necrosis: Gordon L Todd, David A Sterns, Robert D Plambeck, Corey S Joekel, Robert S Eliot	645
Antiarrhythmic and haemodynamic effects of tiapamil, a new calcium antagonist, during coronary artery occlusion and reperfusion in dogs: Boris M Shargorodsky, Shimon Braun, Bernard Belhassen, Shlomo Laniado	652
Changes in creatine phosphate, inorganic phosphate, and the purine pattern in dog hearts with time of coronary artery occlusion and effect thereon of mifflazine, a nucleoside transport inhibitor: Herman Van Belle, Jozef Wynants, Raymond Xhonneux, Willem Flameng	658
Mural thrombus in experimental viral myocarditis in mice: relation between thrombosis and congestive heart failure: Nobuyoshi Tomioka, Chiharu Kishimoto, Akira Matsumori, Chuichi Kawai	665
Effects of aging and long term dietary intervention on protein turnover and growth of ventricular muscle in the rat heart: David F Goldspink, Sheena E M Lewis, Brian J Merry	672
A geochemical basis for endomyocardial fibrosis: M S Valiathan, C C Kartha, V K Panday, H S Dang, C M Sunta	679

Effects of acute atrial fibrillation on the vasodilator reserve of the canine atrium: Carl W White, Myrl D Holida, Melvin L Marcus	683
Measurement of relaxation in isolated rat ventricular myocardium during hypoxia and reoxygenation: Yasuyuki Nakamura, Allen W Wiegner, Oscar H L Bing	690
Time constant of isovolumic pressure fall in the intact canine left ventricle: Raimo Kettunen, Jouni Timisjärvi, Pauliina Rämö, Eero Kouvalainen, Juhani Heikkilä, Leo Hirvonen	698

No 10 OCTOBER 1986

Subsidiary class III effects of beta blockers? A comparison of atenolol, metoprolol, nadolol, oxprenolol and sotalol: B Stewart Manley, Dimitrios Alexopoulos, Graham J Robinson, Stuart M Cobbe	705
Influence of propranolol on acidosis and high energy phosphates in ischaemic myocardium of the rabbit: Craig R Malloy, Paul M Matthews, Michael B Smith, George K Radda	710
Prevention of postischaemic ventricular fibrillation by long term beta adrenoceptor blockade with acebutolol in the anaesthetised dog: Paolo E Puddu, Rémy Jouve, Francis Langlet, Jean-Claude Guillen, Monique Fornaris, Jean Torresani, Attilio Reale	721
Electrophysiological effects of alinidine (ST 567) on sinoatrial node fibres in the rabbit heart: Tobias Ophhof, Jeroen J Duivenvoorden, Antoni C G Vanginneken, Habo J Jongsma, Lennart N Bouman	727
Relation between monophasic action potential duration, ST segment elevation, and regional myocardial blood flow after coronary occlusion in the pig: Rosalie O Kingaby, Max J Lab, Arthur W G Cole, T Norman Palmer	740
Role of adenosine as mediator of bradyarrhythmias during hypoxia in isolated guinea pig hearts: Robert C Wesley Jr, Michael T Boykin, Luiz Belardinelli	752
Endothelial cell orientation on aortic valve leaflets: J David Deck	760
Animal model of silent myocarditis in athymic mice: Chiharu Kishimoto, Kagemasa Kuribayashi, Tohru Masuda, Nobuyoshi Tomioka, Chuichi Kawai	768
Bilateral simultaneous indirect systolic blood pressure measurements: David R Goldhill	774
Centrally induced cardiovascular and sympathetic responses to adrenocorticotrophic hormone: Isao Iyoda, Hakuo Takahashi, Li-Chik Lee, Seiichi Kambara, Hiroshi Okajima, Susumu Sasaki, Kazuo Takeda, Manabu Yoshimura, Hamao Ijichi	778
Histochemical examination of energy metabolism in aortic vein grafts in rats: Veikko Remes, Karl von Smitten, Timo Waris, Jyrki Raekallio	783

No 11 NOVEMBER 1986

Random walk type models for indicator-dilution studies: comparison of a local density random walk and a first passage times distribution: J M Bogaard, J R C Jansen, E A von Reth, A Versprille, M E Wise	789
Progressive mechanical impairment associated with progressive but reversible electrocardiographic ischaemic changes during repeated brief coronary artery occlusions in pigs: Jaime Figueras, Juan Cinca, Gustavo Senador, Jorge Rius	797

A proposed mechanism for cardiac sensitisation: electrophysiological study of effects of difluorodichloromethane and adrenaline on different types of cardiac preparations isolated from sheep hearts: Yvon Lessard, Georges Paulet	807
Doppler blood velocity in the pulmonary artery of infants, children, and adults: Ralph C Targett, Gregory P Heldt, Malcolm B McIlroy	816
Blood flow to acutely ischaemic myocardium during pericardial tamponade: dominant influence of aortic blood pressure: James D McAndrew, H Fred Downey	822
Cardiac myosin light and heavy chain isotypes in tetralogy of Fallot: Lucy M Auckland, Simon J Lambert, Peter Cummins	828
Assessment of techniques for preventing glycolysis in cardiac muscle: J S Pirolo, D G Allen	837
Protection by verapamil in the calcium paradox: dependence on micromolar calcium: Audun N Øksendal, Per Jynge	845
Effects of changes in airway pressure on the left ventricle and left atrium of dogs: Charles Katzenberg, Marcey Olajos, Eugene Morkin, Steven Goldman	853
Early intimal lesions in the common carotid artery: Jon Bland, Anna Skordalaki, J L Emery	863

No 12 DECEMBER 1986

Electrical properties and response to noradrenaline of individual heart cells isolated from human ventricular tissue: M R Mitchell, T Powell, M F Sturridge, D A Terrar, V W Twist	869
Estimation of sinoaortic baroreceptor heart rate reflex sensitivity and latency in man: a new microcomputer assisted method of analysis: Stephen A Smith, Terence J Stallard, William A Littler	877
Diastolic coronary resistance in the isolated rabbit heart during and after ischaemia: contribution of extravascular forces: Gillian Fleetwood, Philip A Poole-Wilson	883
Effects of adrenergic and muscarinic receptor stimulation on serum potassium concentrations and myocardial electrical stability: Stefan H Hohnloser, Richard L Verrier, Bernard Lown	891
Cardiovascular reflexes mediated by capsaicin sensitive cardiac afferent neurones in the dog: Janina Staszewska-Woolley, Denise E Luk, Peter N Nolan	897
A quantitative study of the anatomy and distribution of coronary arteries in swine in comparison with other animals and man: Morris E Weaver, George A Pantely, J David Bristow, Herbert D Ladley	907
Effects of long term alcohol ingestion on glutathione metabolising enzymes and taurine contents in the myocardium of rats: István Édes, Györgyi Piros, Gábor K Tóth, Miklós Csanády, Kálmán Kovács	918
Effects of left ventricular diastolic pressure on the pressure-flow relation of the coronary circulation during physiological vasodilatation: Richmond W Jeremy, Clifford F Hughes, Peter J Fletcher	922
Spermine decreases peripheral vascular resistance in the dog and relaxes the isolated aorta of the guinea pig: Elliott W Chideckel, Harakh H Dedhia, Jeffrey S Fedan, Luis Teba, Abnash Jain	931
Axial pressure gradient in the canine superior vena cava: Jaak Minten, Frans van de Werf, André E Aubert, Hilaire de Geest	935
Index.	939

1986 Subscription Rates

Official Journals of American Heart Association

Circulation

A monthly devoted to clinical research and advances in the cardiovascular field.

Burton E. Sobel, M.D., Editor

U.S. \$56
Elsewhere \$72

Circulation Research

A monthly concerned with basic research in the cardiovascular field. Francois M. Abboud, M.D., Editor

U.S. \$86
Elsewhere \$105

Hypertension

A bi-monthly concerned with clinical and basic research in the hypertension field. Edgar Haber, M.D., Editor

U.S. \$55
Elsewhere \$70

Stroke

A journal of cerebral circulation, bi-monthly. H.J.M. Barnett, M.D., Editor

U.S. \$50
Elsewhere \$65

Arteriosclerosis

A journal of vascular biology and thrombosis, bi-monthly. Edwin L. Bierman, M.D., Editor

U.S. \$60
Elsewhere \$75

Recurring Bibliography of Hypertension

Bi-monthly, in cooperation with the National Library of Medicine.

U.S. \$12
Elsewhere \$16

Current Concepts of Cerebrovascular Disease—(Stroke)

U.S. Only*

Modern Concepts of Cardiovascular Disease

U.S.*
Elsewhere \$10

Cardiovascular Nursing

U.S. Only*

*Available through most American Heart Association Affiliates.

All Subscriptions annual—subscriptions accepted at any time. Postage included, airmail rates available upon request. Special discount 50% available to research fellows, interns, residents and medical students in U.S., Canada and Mexico. (Letter from chairperson stating post held and completion date is required to qualify for special discount.)

Orders for **Japan** must go through:

Nankodo Co., Ltd.
42-6 Hongo 3-chome
Bunkyo-ku Tokyo JAPAN

Orders for **Europe** must go through:

Bailliere Tindall
1 St. Anne's Road
Eastbourne, East Sussex
BN21 3UN ENGLAND

Remittances should be made in U.S. funds by check, draft, post office or express money order, payable to:

American Heart Association
7320 Greenville Avenue
Dallas, Texas 75231



American Heart Association
Publishing Office

Contents

Electrical properties and response to noradrenaline of individual heart cells isolated from human ventricular tissue M R MITCHELL, T POWELL, M F STURRIDGE, D A TERRAR, V W TWIST *page 869*

Estimation of sinoaortic baroreceptor heart rate reflex sensitivity and latency in man: a new microcomputer assisted method of analysis STEPHEN A SMITH, TERENCE J STALLARD, WILLIAM A LITTLER *page 877*

Diastolic coronary resistance in the isolated rabbit heart during and after ischaemia: contribution of extravascular forces GILLIAN FLEETWOOD, PHILIP A POOLE-WILSON *page 883*

Effects of adrenergic and muscarinic receptor stimulation on serum potassium concentrations and myocardial electrical stability STEFAN H HOHNLOSER, RICHARD L VERRIER, BERNARD LOWN *page 891*

Cardiovascular reflexes mediated by capsaicin sensitive cardiac afferent neurones in the dog JANINA STASZEWSKA-WOOLLEY, DENISE E LUK, PETER N NOLAN *page 897*

A quantitative study of the anatomy and distribution of coronary arteries in swine in comparison with other animals and man MORRIS E WEAVER, GEORGE A PANTELY, J DAVID BRISTOW, HERBERT D LADLEY *page 907*

Effects of long term alcohol ingestion on glutathione metabolising enzymes and taurine contents in the myocardium of rats ISTVÁN ÉDES, GYÖRGYI PIROS, GABOR K TÓTH, MIKLÓS CSANÁDY, KÁLMÁN KOVÁCS *page 918*

Effects of left ventricular diastolic pressure on the pressure-flow relation of the coronary circulation during physiological vasodilatation RICHMOND W JEREMY, CLIFFORD F HUGHES, PETER J FLETCHER *page 922*

Spermine decreases peripheral vascular resistance in the dog and relaxes the isolated aorta of the guinea pig ELLIOTT W CHIDECKEL, HARAKH H DEDHIA, JEFFREY S FEDAN, LUIS TEBA, ABNASH JAIN *page 931*

Axial pressure gradient in the canine superior vena cava JAAK MINTEN, FRANS VAN DE WERF, ANDRÉ E AUBERT, HILAIRE DE GEEST *page 935*

Index *page 939*

A proposed mechanism for cardiac sensitisation: electrophysiological study of effects of difluorodichloromethane and adrenaline on different types of cardiac preparations isolated from sheep hearts: Yvon Lessard, Georges Paulet	807
Doppler blood velocity in the pulmonary artery of infants, children, and adults: Ralph C Targett, Gregory P Heldt, Malcolm B McIlroy	816
Blood flow to acutely ischaemic myocardium during pericardial tamponade: dominant influence of aortic blood pressure: James D McAndrew, H Fred Downey	822
Cardiac myosin light and heavy chain isotypes in tetralogy of Fallot: Lucy M Auckland, Simon J Lambert, Peter Cummins	828
Assessment of techniques for preventing glycolysis in cardiac muscle: J S Pirolo, D G Allen	837
Protection by verapamil in the calcium paradox: dependence on micromolar calcium: Audun N Øksendal, Per Jynge	845
Effects of changes in airway pressure on the left ventricle and left atrium of dogs: Charles Katzenberg, Marcey Olajos, Eugene Morkin, Steven Goldman	853
Early intimal lesions in the common carotid artery: Jon Bland, Anna Skordalaki, J L Emery	863

No 12 DECEMBER 1986

Electrical properties and response to noradrenaline of individual heart cells isolated from human ventricular tissue: M R Mitchell, T Powell, M F Sturridge, D A Terrar, V W Twist	869
Estimation of sinoaortic baroreceptor heart rate reflex sensitivity and latency in man: a new microcomputer assisted method of analysis: Stephen A Smith, Terence J Stallard, William A Littler	877
Diastolic coronary resistance in the isolated rabbit heart during and after ischaemia: contribution of extravascular forces: Gillian Fleetwood, Philip A Poole-Wilson	883
Effects of adrenergic and muscarinic receptor stimulation on serum potassium concentrations and myocardial electrical stability: Stefan H Hohnloser, Richard L Verrier, Bernard Lown	891
Cardiovascular reflexes mediated by capsaicin sensitive cardiac afferent neurones in the dog: Janina Staszewska-Woolley, Denise E Luk, Peter N Nolan	897
A quantitative study of the anatomy and distribution of coronary arteries in swine in comparison with other animals and man: Morris E Weaver, George A Pantely, J David Bristow, Herbert D Ladley	907
Effects of long term alcohol ingestion on glutathione metabolising enzymes and taurine contents in the myocardium of rats: István Édes, Györgyi Piros, Gábor K Tóth, Miklós Csanády, Kálmán Kovács	918
Effects of left ventricular diastolic pressure on the pressure-flow relation of the coronary circulation during physiological vasodilatation: Richmond W Jeremy, Clifford F Hughes, Peter J Fletcher	922
Spermene decreases peripheral vascular resistance in the dog and relaxes the isolated aorta of the guinea pig: Elliott W Chideckel, Harakh H Dedhia, Jeffrey S Fedan, Luis Teba, Abnash Jain	931
Axial pressure gradient in the canine superior vena cava: Jaak Minten, Frans van de Werf, André E Aubert, Hilaire de Geest	935
Index.	939

